Timberland
PRO
FA17
FOOTWEAR

WORK
THE
LOOK
T-SHIRT
BASE PLATE BLENDED
SHORT-SLEEVE T-SHIRT
TB0A1HNS
MIDLAYER
STUDWALL 1/4-ZIP
TEXTURED FLEECE TOP
TB0A1HGK
PANTS
GRIT-N-GRIND FLEX DENIM
WORK PANT
TB0A1HYS
WORK BOOTS
BOONDOCK
TB092615214
PAGE 46
For information about
Timberland PRO® Workwear,
CONTACT
Kevin Barger
Kevin_Barger@vfc.com
(603) 327-7113
Timberland
PRO
WORKWEAR

FALL 2017

TIMBERLAND PRO HAS BUILT ITS REPUTATION ON DEDICATION TO QUALITY, CRAFTSMANSHIP AND INNOVATION. THIS TRADITION BEGAN WITH OUR FIRST WATERPROOF WORK BOOTS. TIMBERLAND PRO® SERIES CONTINUES THIS HERITAGE BY ASSESSING THE UNMET NEEDS OF THOSE WHO WORK IN THE MOST DEMANDING ENVIRONMENTS, THEN DEVELOPING SOLUTIONS THAT DELIVER ULTIMATE COMFORT, DURABILITY AND PERFORMANCE—*ALL DAY LONG.*

TABLE OF CONTENTS

TIMELINE OF INNOVATION 4
MEDIA ASSETS 6
MARKETING ASSETS 7
NEW STYLES 9
WOMEN'S 12
ATHLETIC WORK SHOES 24
INDUSTRIAL CASUAL 32
6" WORK BOOTS 42
8" WORK BOOTS 58
WORK HIKERS 64
PULL-ON WORK BOOTS 68
LOGGERS 74
MET/SPECIALTY 76
VALOR 82
ACCESSORIES 88
COMFORT SYSTEMS 90
SLIP SCORES 92
TECHNOLOGY KEY 98
SALES TERRITORIES 100
INDEX 102

TIMELINE OF INNOVATION

THE EVOLUTION OF TIMBERLAND PRO

TIMBERLAND PRO®
CUSTOMER SERVICE

PHONE 1-855-253-3261
FAX 1-855-218-9585
WEB HTTP://VENDOR.TIMBERLAND.COM

STYLE CODE KEY

TBØ | A110Ø | 21Ø

PRO CODE	SKU	COLOR CODE

NOTE: SKUs may contain the letter "O" and/or a Zero. Zeros are represented by a "Ø".

TIMBERLAND PRO® SERIES BRAND ADVANTAGE

- Timberland heritage—waterproof, craftsmanship, quality
- A brand name that is highly sought after
- Product designs driven by consumers' on-the-job needs



NATIONAL MEDIA **CAMPAIGN**

Timberland PRO runs a strong national media campaign each year that is designed to engage consumers through storytelling. While our campaigns have traditionally focused on footwear, Fall 2017 will mark our first-ever head-to-toe campaign. We will build off the strength of previous campaigns and aim to reach our consumers in places where they spend time. Our comprehensive approach includes TV, radio, digital, mobile, and social.

MEDIA CONCENTRATION

MEDIA CALENDAR

TIMBERLAND PRO VIDEO LIBRARY

WWW.YOUTUBE.COM/TIMBERLANDPRO

IN-STORE MARKETING PROGRAM



WALL UNIT

A. 20 SKU Slatwall System 82" H X 65.5" W

B. Lifestyle Graphics*

C. 10 SKU Tower 75.85" H x 20" W x 18" D

D. Bench 19.685" H x 48" W x 20" D

E. Branded Floor Mat 40" W X 30" D

F. Bench 19.685" H x 24" W x 20" D

G. Insole Tower 75.85" H x 20" W x 18" D

*Custom orders upon request

INSET

A. 10 SKU Slatwall System 82" H x 36" W

B. Modular Slat Wall Unit 48" H x 14" W

TIERED PROGRAM

TIER 1

Buy 2 new Timberland PRO styles and place a $10,000 future order to receive the following:

- 10 Sku Tower **(C)** or Inset 10 SKU Slatwall System **(A)**
- Branded Floor Mat **(E)**
- Bench **(F)**

Value = $1,000

TIER 2

Include 3 new Timberland PRO styles and place a $20,000 future order to receive the following:

- Tier 1 package plus the following
- 20 SKU Unit Slatwall System **(A)**
- Lifestyle Graphics **(B)**
- Insole Tower **(G)**

Value = $2,000

TIER 3

- Custom shop-in-shop
- Contact your Account Executive to learn more

MARKETING ASSETS

POSTERS

SOCIAL MEDIA

WINDOW GRAPHICS

WEB/VIDEO



OVERVIEW

NEW INDUSTRIAL

TB0A1HPY231
6" HELIX HD COMPOSITE SAFETY TOE WATERPROOF
Distressed Wheat
Full-Grain Leather
7-12,13,14,15 M/W
T9000WP/T18000SRP
Page 44

TB0A1HQL214
6" HELIX HD COMPOSITE SAFETY TOE WATERPROOF
Distressed Brown
Full-Grain Leather
7-12,13,14,15 M/W
T9000WP/T18000SRP
Page 44

TB0A1I4H214
6" HELIX HD COMPOSITE SAFETY TOE WATERPROOF
Tempest Full-Grain Leather
7-12,13,14,15 M/W
T9000WP/T18000SRP
Page 44

TB0A1FZP001
6" BOONDOCK COMPOSITE SAFETY TOE WATERPROOF
Black Full-Grain Leather
7-12,13,14,15 M/W
T10000WP/T20000SRP
Page 46

TB0A1HC5214
EURO HIKER ALLOY SAFETY TOE WATERPROOF
Brown Full-Grain Leather
7-12,13,14,15 M/W
T8250WP/T16500SRP
Page 66

TB0A1HBT001
EURO HIKER ALLOY SAFETY TOE WATERPROOF
Black Full-Grain Leather
7-12,13,14,15 M/W
T8250WP/T16500SRP
Page 66

TB0A1HOE001
8" VALOR DUTY SOFT TOE
Coyote Flesh Out Leather
with 1200D Ballistic Poly
7-12,13,14,15M/W
T7250WP/T14500SRP
Page 84

TB0A1FY5001
VALOR DUTY OXFORD SOFT TOE
Black Smooth Leather
7-12,13,14,15 M/W
T5500WP/T11000SRP
Page 84

OVERVIEW

NEW WOMEN'S

TB0A1KJ5214
8" HIGHTOWER
ALLOY SAFETY TOE
WATERPROOF
Kaffe Full-Grain Leather
5.5-10,11,12
T8000WP/T16000SRP
Page 14

TB0A1KKS214
6" HIGHTOWER
ALLOY SAFETY TOE
WATERPROOF
Kaffe Full-Grain Leather
5.5-10,11,12
T7750WP/T15500SRP
Page 14

TB0A1KIT214
6" HIGHTOWER
ALLOY SAFETY TOE
WATERPROOF
Turkish Coffee
Full-Grain Leather
5.5-10,11,12
T7750WP/T15500SRP
Page 14

TB0A1KL1001
6" HIGHTOWER
ALLOY SAFETY TOE
WATERPROOF
Black Full-Grain Leather
5.5-10,11,12
T7750WP/T15500SRP
Page 14

TB0A1KJR214
6" HIGHTOWER
ALLOY SAFETY TOE
Kaffe Full-Grain Leather
5.5-10,11,12
T7000WP/T14000SRP
Page 14

TB0A1KJ8231
6" DIRECT ATTACH
STEEL SAFETY TOE
WATERPROOF INSULATED
Wheat Nubuck Leather
5.5-10,11,12
T6750WP/T13500SRP
Page 16

SD+

TB0A1KJJ214
RIVETER
ALLOY SAFETY TOE SD+
Dark Sudan Full-Grain Leather
5.5-10,11,12
T6500WP/T13000SRP
Page 15

SD+

TB0A1KJG001
RIVETER
ALLOY SAFETY TOE SD+
Black Swank Full-Grain Leather
5.5-10,11,12
T6500WP/T13000SRP
Page 15

OVERVIEW

NEW POWERTRAIN SPORT

SD+

TB0A1HR8001

POWERTRAIN SPORT SLIP ON ALLOY SAFETY TOE SD+

Black Ripstop Nylon
7-12,13,14,15M/W
T6000WP/T12000SRP
Page 26

SD+

TB0A1HRJ001

POWERTRAIN SPORT SLIP ON ALLOY SAFETY TOE SD+

Black Ripstop Nylon
with Blue
7-12,13,14,15M/W
T6000WP/T12000SRP
Page 26

SD+

TB0A1HSS001

POWERTRAIN SPORT ALLOY SAFETY TOE SD+

Black Ripstop Nylon
with Yellow
7-12,13,14,15M/W
T6000WP/T12000SRP
Page 26

EH

TB0A1HRU001

POWERTRAIN SPORT ALLOY SAFETY TOE EH

Black Ripstop Nylon
with Blue
7-12,13,14,15M/W
T5500WP/T11000SRP
Page 28

EH

TB0A1I3U001

POWERTRAIN SPORT ALLOY SAFETY TOE EH

Black Raptek
with Orange
7-12,13,14,15M/W
T5750WP/T11500SRP
Page 28

EH

TB0A1I4S001

POWERTRAIN SPORT ALLOY SAFETY TOE EH

Black Raptek
7-12,13,14,15M/W
T5750WP/T11500SRP
Page 28

EH

TB0A1JYQ001

POWERTRAIN SPORT MID ALLOY SAFETY TOE EH

Black Ripstop Nylon
7-12,13,14,15M/W
T6000WP/T12000SRP
Page 28

WOMEN'S

SD+

TB0A1I54484

POWERTRAIN ALLOY SAFETY TOE SLIP ON SD+

Black Riptstop Nylon
with Blue
5.5-10,11M/W
T5500WP/T11000SRP
Page 17

SD+

TB0A1FU0001

POWERTRAIN ALLOY SAFETY TOE SLIP ON SD+

Black Ripstop Nylon
with Green
5.5-10,11M/W
T5500WP/T11000SRP
Page 17

EH

TB0A1JY4001

POWERTRAIN SPORT ALLOY SAFETY TOE EH

Black Raptek
5.5-10,11M/W
T5250WP/T10500SRP
Page 17

EH

TB0A1I5Q001

POWERTRAIN SPORT ALLOY SAFETY TOE EH

Black Raptek
with Pink
5.5-10,11M/W
T5250WP/T10500SRP
Page 17

WOMEN'S WORK SHOES

As a leader in women's work footwear, we use the same attention to detail, quality materials and proven technology that go into our men's products—creating a collection that's equal in every way. It meets the fit needs of a woman's foot, while appealing to women's style preferences. The collection delivers superior comfort, durability and performance to get the job done.

NEW

HIGHTOWER ..... PAGE 14
RIVETER ..... PAGE 15
DIRECT ATTACH ..... PAGE 16
POWERTRAIN SPORT ..... PAGE 17

CARRYOVER

DISRUPTOR ..... PAGE 20
STOCKDALE ..... PAGE 21
ROCKSCAPE ..... PAGE 21
TITAN® ..... PAGE 21
TITAN® OXFORD ..... PAGE 21
NEWBURY ..... PAGE 22
TIMBERLAND PRO® HELIX ..... PAGE 22
RIGMASTER ..... PAGE 23
EXTERNAL MET GUARD ..... PAGE 23
WARRICK ..... PAGE 23

BOOTS OFFERED IN WOMEN'S SIZES (chart shows how to convert men's sizes to women's)

Men's	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5
Women's	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13

TIMBERLAND PRO® HIGHTOWER

The new Women's Hightower Collection was built from the ground up to be comfortable, tough, durable and stylish. Designed by a woman for women who work on the most demanding work sites, these 6" and 8" boots were built on a last that contours to a women's foot and provides an incredible fit with no break in time.

- Built on a women's specific last for optimal fit and comfort
- Premium waterproof full-grain leather with waterproof membrane (excludes A1JKR)
- Alloy safety toe
- All-weather TPU Outsole with Polyurethane Midsole
- Dynamic Anti-Fatigue Technology polyurethane footbed
- Mesh lining with antimicrobial treatment for odor control
- Fiberglass Shank for Structural Support

ALL-WEATHER THERMOPLASTIC URETHANE OUTSOLE

- All-weather TPU outsole with lightweight polyurethane midsole
- Slip resistant
- Oil resistant
- Abrasion resistant
- Non-marking

EXCLUDES A1KJR EXCLUDES A1KJR

30-DAY COMFORT GUARANTEE

NEW 9/1/2017

TB0A1KJ5214
8" HIGHTOWER ALLOY SAFETY TOE WATERPROOF
Kaffe Full-Grain Leather
5.5-10,11,12
T8000WP/T16000SRP

NEW 9/1/2017

TB0A1KIT214
6" HIGHTOWER ALLOY SAFETY TOE WATERPROOF
Turkish Coffee
Full-Grain Leather
5.5-10,11,12
T7750WP/T15500SRP

NEW 9/1/2017

TB0A1KKS214
6" HIGHTOWER ALLOY SAFETY TOE WATERPROOF
Kaffe Full-Grain Leather
5.5-10,11,12
T7750WP/T15500SRP

NEW 9/1/2017

TB0A1KL1001
6" HIGHTOWER ALLOY SAFETY TOE WATERPROOF
Black Full-Grain Leather
5.5-10,11,12
T7750WP/T15500SRP

NEW 9/1/2017

TB0A1KJR214
6" HIGHTOWER ALLOY SAFETY TOE
Kaffe Full-Grain Leather
5.5-10,11,12
T7000WP/T14000SRP

TIMBERLAND PRO® RIVETER

Don't let the look fool you. These Riveter work shoes are built for all day comfort and protection. Built on a women's last and made from rugged, yet refined materials, these work shoes can walk the office to the worksite without hesitation.

- Built on a women's specific last for optimal fit and comfort
- Premium full-grain leather
- Alloy safety toe
- Non-mutilating upper
- Conductive all-weather TPU Outsole with Polyurethane Midsole for consistent static-dissipative performance
- Dynamic Anti-Fatigue Technology polyurethane footbed
- Mesh lining with antimicrobial treatment for odor control
- Fiberglass Shank for Structural Support

ALL-WEATHER THERMOPLASTIC URETHANE OUTSOLE

- All-weather TPU outsole with lightweight polyurethane midsole
- Slip resistant
- Oil resistant
- Abrasion resistant
- Non-marking

NEW
9/1/2017
SD+

TB0A1KJJ214
RIVETER ALLOY SAFETY TOE SD+
Dark Sudan Full-Grain Leather
5.5–10,11,12
T6500WP/T13000SRP

NEW
9/1/2017
SD+

TB0A1KJG001
RIVETER ALLOY SAFETY TOE SD+
Black Swank Full-Grain Leather
5.5–10,11,12
T6500WP/T13000SRP

DIRECT ATTACH

All the toughness and durability of our original Direct Attach is now made with a women's fit.

- Built on a women's specific last for optimal fit and comfort
- Premium Seam-sealed waterproof nubuck leather
- 200g Thermolite® insulation for warmth without bulk
- Steel safety toe
- PRO Rubber Outsole with lightweight polyurethane midsole for improved cushioing
- Mesh lining with antimicrobial treatment for odor control
- Contoured shock diffusion plate for structural support
- Open cell polyurethane footbed for breathable, moisture wicking, underfoot cushioning

TIMBERLAND PRO® RUBBER OUTSOLE

- Classic rubber lug outsole for durable traction
- Slip resistant
- Abrasion resistant
- Oil resistant
- Non-marking

NEW
9/1/2017

200g

TB0A1KJ8231
6" DIRECT ATTACH
STEEL SAFETY TOE
WATERPROOF INSULATED
Wheat Nubuck Leather
5.5–10,11,12
T6750WP/T13500SRP

TIMBERLAND PRO® POWERTRAIN SPORT

- Premium ripstop nylon upper with abrasion-resistant screen print (A1I54, A1FUO)
- Premium Raptek microfiber for extreme durability and protection (A1JY4, A1I5Q)
- Alloy safety toe on TITAN® last
- Mesh lining with antimicrobial treatment for odor control
- Non-metallic shank for structural support
- Proprietary outsole with built-in Anti-Fatigue Technology
- Conductive polyurethane outsole for consistent static-dissipative performance (A1I54, A1FUO)

TIMBERLAND PRO® POLYURETHANE OUTSOLE

- BASF® super lightweight PU balances low density with flexibility, traction and comfort
- Molded inverted cone Anti-Fatigue Technology provides support, cushioning and energy return
- Slip resistant
- Abrasion resistant
- Oil resistant

A1I5Q
A1JY4

A1I54
A1FUO

VIDEO CONTENT

NEW 6/16/2017
SD+

TB0A1I54484
POWERTRAIN ALLOY SAFETY TOE SLIP ON SD+
Black Riptstop Nylon with Blue
5.5-10,11 M/W
T5500WP/T11000SRP

NEW 6/16/2017
SD+

TB0A1FUO001
POWERTRAIN SPORT ALLOY SAFETY TOE SLIP ON SD+
Black Ripstop Nylon with Green
5.5-10,11 M/W
T5500WP/T11000SRP

NEW 6/16/2017
EH

TB0A1JY4001
POWERTRAIN ALLOY SAFETY TOE EH
Black Raptek
5.5-10,11 M/W
T5250WP/T10500SRP

NEW 6/16/2017
EH

TB0A1I5Q001
POWERTRAIN ALLOY SAFETY TOE EH
Black Raptek with Pink
5.5-10,11 M/W
T5250WP/T10500SRP

TIMBERLAND PRO® POWERTRAIN SPORT

EXCLUDES A1GW3 · A1GHM · A1GHM · A1B7F A1H1S A1GCR A1GVR · A1GW3

SD+

TB0A1B7F001
ALLOY TOE SD+
Black Ripstop Nylon
5.5-10,11 M/W
T5500WP/T11000SRP

SD+

TB0A1H1S001
ALLOY TOE SD+
Black Ripstop Nylon with Lavender
5.5-10,11 M/W
T5500WP/T11000SRP

SD+

TB0A1GVR065
ALLOY TOE SD+
Grey Ripstop Nylon with Orange
5.5-10,11 M/W
T5500WP/T11000SRP

SD+

TB0A1GW3001
SOFT TOE SD+
Black Ripstop Nylon
5.5-10,11 M/W
T5500WP/T11000SRP

EH

TB0A1GHM001
ALLOY SAFETY TOE MET GUARD EH
Black Ripstop Nylon
3.5-12,13,14,15 M/W
T6750WP/T13500SRP

TIMBERLAND PRO® POWERTRAIN

ESD

TB01111A001
ALLOY SAFETY TOE ESD
Black/Grey Synthetic
5.5-10,11M/W
T5500WP/T11000SRP

ESD

TB092668001
ALLOY SAFETY TOE ESD
Black/Blue Synthetic and Textile
5.5-10,11M/W
T5125WP/T10250SRP

ESD

TB092669001
ALLOY SAFETY TOE ESD
Black/Pink Synthetic and Textile
5.5-10,11M/W
T5125WP/T10250SRP

TIMBERLAND PRO® DISRUPTOR

- Available in nubuck leather or recycled canvas
- Alloy safety toe on TiTAN® last
- Utilizes three-part Bio Suspension System
- Contoured shock diffusion plate
- Dynamic Anti-Fatigue Technology polyurethane footbed
- Conductive polyurethane outsole for consistent static-dissipative performance (A1GF6, A1GSM, and A1GSX)

DUAL-DENSITY POLYURETHANE OUTSOLE

- BASF® super lightweight PU balances low density with flexibility, traction and comfort
- Slip resistant
- Abrasion resistant
- Oil resistant

A1GV4
A1H16
A1GZU

A1H16

30-DAY COMFORT GUARANTEE

A1GF6
A1GSX

DEFENDER Hazmat System
Scotchgard

NEW
7/21/2017

EH

TB0A1GV4001
ALLOY SAFETY TOE EH
Black White Canvas
3.5–12,13,14,15 M/W (men's sizes)
T5750WP/T11500SRP

SD+

TB0A1GF6065
ALLOY SAFETY TOE SD+
Graphite Nubuck
3.5–12,13,14,15 M/W (men's sizes)
T7000WP/T14000SRP

SD+

TB0A1GSX001
ALLOY SAFETY TOE SD+
Black/Black Canvas
3.5–12,13,14,15 M/W (men's sizes)
T6250WP/T12500SRP

NEW
7/21/2017

EH

TB0A1H16001
ALLOY SAFETY TOE EH
Black/Black Canvas
3.5–12,13,14,15 M/W (men's sizes)
T5500WP/T11000SRP

EH

TB0A1GZU065
ALLOY SAFETY TOE EH
Graphite Nubuck
3.5–12,13,14,15 M/W (men's sizes)
T6000WP/T12000SRP

BOOTS OFFERED IN WOMEN'S SIZES (chart shows how to convert men's sizes to women's)

Men's	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5
Women's	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13

STOCKDALE

TB0A1AX5001
ALLOY SAFETY TOE
WATERPROOF
Black Full-Grain Leather
3.5-12,13,14,15M/W (men's sizes)
T7500WP/T15000SRP

ROCKSCAPE

TB0A11PS065
STEEL SAFETY TOE
Grey Synthetic with Pink Pops
5.5-10,11M/W
T5250WP/T10500SRP

BOOTS OFFERED IN WOMEN'S SIZES (chart shows how to convert men's sizes to women's)

Men's	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5
Women's	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13

TITAN®

26388
53359
72399

53359

53359

53359

TB072399001
6" TITAN® SAFETY TOE
Black Full-Grain Leather
5.5-10,11M/W
T6250WP/T12500SRP

TB026388210
6" TITAN® SAFETY TOE
Coffee Full-Grain Leather
5.5-10,11M/W
T6250WP/T12500SRP

TB055398210
6" TITAN® SOFT TOE
Coffee Full-Grain Leather
5.5-10,11M/W
T6000WP/T12000SRP

TB053359242
6" TITAN SAFETY TOE
WATERPROOF
Dark Mocha Full-Grain Leather
5.5-10,11M/W
T7250WP/T14500SRP

TITAN® OXFORD

TB063189214
TITAN® SAFETY TOE
Brown Full-Grain Leather
5.5-10,11M/W
T6000WP/T12000SRP

TB090670001
TITAN® SAFETY TOE
Black Full-Grain Leather
5.5-10,11M/W
T6000WP/T12000SRP

NEWBURY

TB087528001
ALLOY SAFETY TOE ESD
Black Full-Grain Leather
5.5–10,11M/W
T6250WP/T12500SRP

TB085599214
ALLOY SAFETY TOE ESD
Brown Full-Grain Leather
5.5–10,11M/W
T6250WP/T12500SRP

TIMBERLAND PRO® HELIX

85594 85594 85594

TB085594214
6" ALLOY SAFETY TOE WATERPROOF
Brown Full-Grain Leather
5-12,13,14,15M/W (men's sizes)
T9400WP/T18800SRP

TB086518214
6" ALLOY SAFETY TOE
Brown Full-Grain Leather
5-12,13,14,15M/W (men's sizes)
T8150WP/T16300SRP

BOOTS OFFERED IN WOMEN'S SIZES (chart shows how to convert men's sizes to women's)

Men's	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5
Women's	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13

TIMBERLAND PRO® HELIX INTERNAL MET GUARD

TB089697214
6" COMPOSITE SAFETY TOE MET GUARD
Brown Full-Grain Leather
3.5–12,13,14,15M/W (men's sizes)
T9750WP/T19500SRP

BOOTS OFFERED IN WOMEN'S SIZES (chart shows how to convert men's sizes to women's)

Men's	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5
Women's	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13

RIGMASTER WATERPROOF

88116

TB088117214
6" ALLOY SAFETY TOE
WATERPROOF
Red Brown Full-Grain Leather
5.5-10,11M/W
T8000WP/T16000SRP

TB088116214
8" ALLOY SAFETY TOE
WATERPROOF INSULATED
Red Brown Full-Grain Leather
5.5-10,11M/W
T8750WP/T17500SRP

EXTERNAL MET GUARD

TB040000001
6" STEEL SAFETY TOE
Black Full-Grain Leather
with Ever-Guard™ Leather
5-12,13,14,15M/W (men's sizes)
T8750WP/T17500SRP

BOOTS OFFERED IN WOMEN'S SIZES (chart shows how to convert men's sizes to women's)

Men's	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5
Women's	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13

WARRICK SMELTER BOOT

TB099524242
10" ALLOY SAFETY TOE
Brown Full-Grain Leather
5-12,13,14,15M/7-12,13,14,15,16,17,18W (men's sizes)
T12250WP/T24500SRP

BOOTS OFFERED IN WOMEN'S SIZES (chart shows how to convert men's sizes to women's)

Men's	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5
Women's	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13

ATHLETIC WORK SHOES

Timberland PRO® Athletic Work Shoes are built with a focus on lightweight performance and work-ready protection. Their casual styling and slip-resistant outsoles, combined with Anti-Fatigue Technology and ESD/EH protection, will keep you comfortable and protected—all day long.

NEW

POWERTRAIN SPORT ..... PAGE **26**

CARRYOVER

POWERTRAIN ..... PAGE **29**

VELOCITY ..... PAGE **30**

T-SHIRT
Wicking Good Short-Sleeve T-Shirt
(TB0A111WC77)

SHORTS
Son-of-a short
(TB0A12BTD97)

TIMBERLAND PRO® POWERTRAIN SPORT SD+

- Premium ripstop nylon upper with abrasion-resistant screen print
- Alloy safety toe on TiTAN® last
- Mesh lining with antimicrobial treatment for odor control
- Non-metallic shank for structural support
- Proprietary outsole with built-in Anti-Fatigue Technology
- Conductive polyurethane outsole for consistent static-dissipative performance

TIMBERLAND PRO® POLYURETHANE OUTSOLE

- BASF® super lightweight PU balances low density with flexibility, traction and comfort
- Molded inverted cone Anti-Fatigue Technology provides support, cushioning and energy return
- Slip resistant
- Oil resistant
- Abrasion resistant

30-DAY COMFORT GUARANTEE

EXCLUDES A1GVG

EXCLUDES A1GVG

A1GVG

NEW 6/16/2017

SD+

TB0A1HR8001

POWERTRAIN SLIP ON ALLOY SAFETY TOE SD+

Black Ripstop Nylon
7-12,13,14,15 M/W
T6000WP/T12000SRP

NEW 6/16/2017

SD+

TB0A1HRJ001

POWERTRAIN SLIP ON ALLOY SAFETY TOE SD+

Black Ripstop Nylon with Blue
7-12,13,14,15 M/W
T6000WP/T12000SRP

NEW 6/16/2017

SD+

VIDEO CONTENT

TB0A1HSS001

POWERTRAIN ALLOY SAFETY TOE SD+

Black Ripstop Nylon with Yellow
7-12,13,14,15 M/W
T6000WP/T12000SRP

SD+

TB0A1GTK001

ALLOY SAFETY TOE SD+

Black Ripstop Nylon
with Yellow and Blue
7-12,13,14,15 M/W
T6000WP/T12000SRP

SD+

TB0A1GT9065

ALLOY SAFETY TOE SD+

Grey Ripstop Nylon
with Orange
7-12,13,14,15 M/W
T6000WP/T12000SRP

SD+

TB0A1B6U001

ALLOY SAFETY TOE SD+

Black Ripstop Nylon
7-12,13,14,15 M/W
T6000WP/T12000SRP

SD+

TB0A1GVG001

SOFT TOE SD+

Black Ripstop Nylon
7-12,13,14,15 M/W
T6000WP/T12000SRP

BUILT TO GO THE DISTANCE

TIMBERLAND PRO® POWERTRAIN SPORT SAFETY SHOE
WITH ANTI-FATIGUE TECHNOLOGY

ANTI-FATIGUE TECHNOLOGY™

Timberland PRO®

- Ripstop nylon for breathable comfort and durability
- Alloy safety toe for lightweight protection (also available in soft toe)
- Proprietary Timberland PRO® polyurethane outsole with built-in Anti-Fatigue Technology to provide shock absorption, energy return, and rubber-like grip
- TPU toe overlay for increased abrasion resistance and durability
- Electrical Shock Protection (EH) from open circuits or Electro Static Dissipative Protection (ESD/SD+) from static build-up or discharge

TIMBERLAND PRO® POWERTRAIN SPORT EH

- Premium ripstop nylon upper with abrasion-resistant screen print (excludes A1I34, A1I45)
- Premium Raptek microfiber for extreme durability and abrasion resistance (A1I34, A1I45)
- Alloy safety toe on TITAN® last
- Mesh lining with antimicrobial treatment for odor control
- Non-metallic shank for structural support
- Proprietary outsole with built-in Anti-Fatigue Technology
- Conductive polyurethane outsole for consistent static-dissipative performance

TIMBERLAND PRO® POLYURETHANE OUTSOLE

- BASF® super lightweight PU balances low density with flexibility, traction and comfort
- Molded inverted cone Anti-Fatigue Technology provides support, cushioning and energy return
- Slip resistant
- Oil resistant
- Abrasion resistant

30-DAY COMFORT GUARANTEE

EXCLUDES A1B6S A176A

A1GHM

NEW 6/16/2017 EH

RAPTEK

TB0A1I3U001

POWERTRAIN ALLOY SAFETY TOE EH

Black Raptek with Orange

7-12,13,14,15 M/W

T5750WP/T11500SRP

NEW 6/16/2017 EH

RAPTEK

TB0A1I4S001

POWERTRAIN ALLOY SAFETY TOE EH

Black Raptek

7-12,13,14,15 M/W

T5750WP/T11500SRP

NEW 6/16/2017 EH

TB0A1HRU001

POWERTRAIN ALLOY SAFETY TOE EH

Black Ripstop Nylon with Blue

7-12,13,14,15 M/W

T5500WP/T11000SRP

NEW 6/16/2017 EH

TB0A1JYQ001

POWERTRAIN MID ALLOY SAFETY TOE EH

Black Ripstop Nylon

7-12,13,14,15 M/W

T6000WP/T12000SRP

EH

TB0A1B6S001

ALLOY SAFETY TOE EH

Black Ripstop Nylon with Orange

7-12,13,14,15 M/W

T5500WP/T11000SRP

EH

TB0A176A001

ALLOY SAFETY TOE EH

Black Ripstop Nylon

7-12,13,14,15 M/W

T5500WP/T11000SRP

EH

TB0A1GHM001

ALLOY SAFETY TOE MET GUARD EH

Black Ripstop Nylon

3.5-12,13,14,15 M/W

T6750WP/T13500SRP

TIMBERLAND PRO® POWERTRAIN

THE POWERTRAIN WORK SHOE WITH ANTI-FATIGUE TECHNOLOGY

A. **SYNTHETIC TEXTILE** for breathable comfort and durability
B. **ALLOY SAFETY TOE** for lightweight protection
C. **CEMENT CONSTRUCTION** for flexibility and reduced break-in time
D. **MESH LINING WITH ANTIMICROBIAL TREATMENT** for odor control and comfortable feet
E. **ANTI-FATIGUE TECHNOLOGY** for shock absorption and energy return
F. **TIMBERLAND PRO® POLYURETHANE OUTSOLE** for rubber-like grip and extreme lightweight cushioning
G. **ELECTRICAL SHOCK PROTECTION (EH)** from open circuits or **ELECTRO STATIC-DISSIPATIVE PROTECTION (ESD)** from static build-up or discharge

POWERTRAIN

92649
92654
A110F

1062A
A16NN

SD+

TB01062A001
ALLOY SAFETY TOE SD+
Black/Grey Synthetic
7-12,13,14,15 M/W
T6000WP/T12000SRP

SD+

TB0A16NN001
ALLOY SAFETY TOE SD+
Black Synthetic with Ripstop Nylon
7-12,13,14,15 M/W
T5625WP/T11250SRP

ESD

TB0A11QF001
ALLOY SAFETY TOE ESD
Black Synthetic
7-12,13,14,15 M/W
T6250WP/T12500SRP

ESD

TB092649001
ALLOY SAFETY TOE ESD
Black/Grey Synthetic and Textile
7-12,13,14,15 M/W
T5625WP/T11250SRP

ESD

TB092654001
ALLOY SAFETY TOE ESD
Black/Blue Synthetic and Textile
7-12,13,14,15 M/W
T5625WP/T11250SRP

VIDEO CONTENT

TIMBERLAND PRO® VELOCITY

INSIDE COMFORT. OUTDOOR PERFORMANCE.

THE TIMBERLAND PRO® VELOCITY MULTI-PURPOSE WORK SHOE easily transitions for indoor or outdoor use. It combines athletic styling with comfort and has the durability you've come to expect from Timberland PRO.

A. **MULTI-SURFACE ANTI-FATIGUE TPU OUTSOLE** absorbs shock with each step, whether on indoor or outdoor surfaces

B. **CONTOURED SHOCK DIFFUSION PLATE AND OPEN CELL POLYURETHANE FOOTBED** combine to provide arch support and cushioning in every step

C. **ULTRALIGHT POLYURETHANE MIDSOLE** for all-day comfort

D. **ELECTRICAL SHOCK PROTECTION (EH)** from open circuits or **ELECTRO STATIC DISSIPATIVE PROTECTION (ESD/SD+)** from static buildup or discharge

E. **CEMENT CONSTRUCTION** for flexibility and reduced break-in time

F. **ALLOY SAFETY TOE** for lightweight protection

G. **STITCHED-ON SYNTHETIC TOE OVERLAY** for increased abrasion resistance and durability

H. **MESH LINING WITH ANTIMICROBIAL TREATMENT** for odor control and comfortable feet

I. **RIPSTOP NYLON POLYESTER** with cable mesh and .5mm TPU overlay for comfort and durability

THE NEW TIMBERLAND PRO® BIO SUSPENSION SYSTEM OFFERS A THREE-PART ADVANTAGE

STABILITY: Contoured shock-diffusion plate provides rigid torsional stability to disperse shock, while allowing the forefoot to flex

CUSHIONING: Ultralight polyurethane midsole actively compresses and rebounds, providing the ultimate in comfort

FLEXIBILITY: Midsole and outsole function together to support and flex, providing superior comfort, flexibility and traction

VELOCITY

A16RF
A16JZ
A13C2

A16KB

EH

TB0A16RF001
ALLOY SAFETY TOE MID EH
Black Synthetic with Orange Pops
7-12,13,14,15 M/W
T6500WP/T13500SRP

EH

TB0A16JZ001
ALLOY SAFETY TOE EH
Black Synthetic
7-12,13,14,15 M/W
T6250WP/T12500SRP

SD+

TB0A16KB001
ALLOY SAFETY TOE SD+
Black Synthetic with Blue Pops
7-12,13,14,15 M/W
T6750WP/T13500SRP

EH

TB0A13C2001
ALLOY SAFETY TOE EH
Black Synthetic
7-12,13,14,15 M/W
T6250WP/T12500SRP

INDUSTRIAL CASUAL

Timberland PRO® Industrial Casual safety shoes are made to transition from work to life and back again. Their casual styling and slip-resistant outsoles, combined with Anti-Fatigue Technology and EH/SD+ protection, mean that you'll be comfortable and protected—all day long.

CARRYOVER

DISRUPTOR ..... PAGE **34**
STOCKDALE ..... PAGE **40**
BRANSTON ..... PAGE **41**
TiTAN® OXFORD ..... PAGE **41**
GLADSTONE ..... PAGE **41**

T-SHIRT
Base Plate Blended Short-Sleeve T-shirt
(TB0A1HNS423)

PANTS
GridFlex™ Basic Work Pant
(TB0A11YV060)

TIMBERLAND PRO® DISRUPTOR

- Available in nubuck leather or recycled canvas
- Alloy safety toe on TiTAN® last
- Utilizes three-part Bio Suspension System
- Contoured shock diffusion plate
- Dynamic Anti-Fatigue Technology polyurethane footbed
- Conductive polyurethane outsole for consistent static-dissipative performance (A1GUH)

DUAL-DENSITY POLYURETHANE OUTSOLE

- BASF® super lightweight PU balances low density with flexibility, traction and comfort
- Non-marking
- Slip resistant
- Abrasion resistant
- Oil resistant

A1BAB
A1BAK

A1GUH

EH

TB0A1BAB214
ALLOY SAFETY TOE EH
Donkey Nubuck
7-12,13,14,15 M/W
T7000WP/T14000SRP

EH

TB0A1BAK231
ALLOY SAFETY TOE EH
Wheat Nubuck
7-12,13,14,15 M/W
T7000WP/T14000SRP

SD+

TB0A1GUH214
ALLOY SAFETY TOE SD+
Donkey Nubuck
7-12,13,14,15 M/W
T7500WP/T15000SRP

DISRUPTOR

A1GV4
A1GVF

A1GF6
A1GSX

NEW
7/21/2017

SD+

TB0A1GSX001
ALLOY SAFETY TOE SD+
Black/Black Canvas
3.5-12,13,14,15 M/W
T6250WP/T12500SRP

SD+

TB0A1GF6065
ALLOY SAFETY TOE SD+
Graphite Nubuck
3.5-12,13,14,15 M/W
T7000WP/T14000SRP

EH

TB0A1GVF001
ALLOY SAFETY TOE EH
Black/Black Canvas
7-12,13,14,15 M/W
T5750WP/T11500SRP

EH

TB0A1GV4001
ALLOY SAFETY TOE EH
Black/White Canvas
3.5-12,13,14,15 M/W
T5750WP/T11500SRP

TIMBERLAND PRO® DISRUPTOR

BUILT FOR WORK, READY FOR PLAY.

DEFENDER Repellent Systems

FEATURING Scotchgard™

- Upper made from recycled canvas or nubuck leather
- Alloy safety toe for lightweight protection, including a protective rubber toe overlay available on some styles
- Timberland PRO® dual-density polyurethane outsole for rubber-like grip
- Bio Suspension System that offers three-part advantage of stability, cushioning, and flexibility
- Dynamic Anti-Fatigue Technology absorbs shock and returns energy at key zones of the foot
- Electrical Shock Protection (EH) from open circuits or Electro Static Dissipative Protection (ESD/SD+) from static build-up or discharge

DISRUPTOR

A1GR2
A1H16
A1GZU

A1GT8

SD+

TB0A1GT8214
ALLOY SAFETY TOE SD+
Donkey Nubuck
7-12,13,14,15 M/W
T6500WP/T13000SRP

EH

TB0A1GR2001
ALLOY SAFETY TOE EH
Black/White Canvas
7-12,13,14,15 M/W
T5500WP/T11000SRP

NEW
7/21/2017

EH

TB0A1GZU065
ALLOY SAFETY TOE EH
Graphite Nubuck
3.5-12,13,14,15 M/W
T6000WP/T12000SRP

EH

TB0A1H16001
ALLOY SAFETY TOE EH
Black/Black Canvas
3.5-12,13,14,15 M/W
T5500WP/T11000SRP

DEFENDER REPELLENT SYSTEMS POWERED BY SCOTCHGARD™ PROTECTOR

YOU'RE UP FOR ANYTHING AFTER WORK, YOUR SHOES SHOULD BE TOO.

DEFENDER Repellent Systems

FEATURING Scotchgard

DEFENDER REPELLENT SYSTEMS TREATMENT, FEATURING SCOTCHGARD™ PROTECTOR FROM 3M WERE ENGINEERED SPECIFICALLY TO ADDRESS THE DYNAMIC ENVIRONMENTAL CONDITIONS SAFETY FOOTWEAR MAY BE SUBJECTED TO.

- Powerful chemistry causes liquids to bead up on the surface for easy cleanup keeping footwear looking good longer
- Triple action formula repels spills, blocks stains, and helps maintain breathability
- Scotchgard™ Protector from 3M uses proprietary C4 based chemistry, which has a very favorable environmental, health and safety profile. They are not made with or degrade to PFOA or PFOS.

Defender Repellent Systems is a trademark of Prime Leather Finishes Co. 3M and Scotchgard are trademarks of 3M.

WORK SHIRT
Work Warrior Short-Sleeve Ripstop Work Shirt
(TB0A1HP0278)

SHORTS
Son-of-a Short
(TB0A12BTA58)

TIMBERLAND PRO® STOCKDALE

- Premium seam-sealed waterproof full-grain leather (excluding 1100A)
- Premium Raptek microfiber for extreme durability and protection (1100A)
- Alloy safety toe on TiTAN® last
- Patented Gripmax "wiper" technology helps clean a path to make more contact with a less contaminated surface
- Heel and forepart center pods for advanced underfoot performance including Mark II oily wet #3 at .4, and 10% Hocut oil at .55
- Mesh lining with antimicrobial treatment for odor control

RUBBER GRIPMAX™ OUTSOLE

- Lightweight yet rugged with exceptional cushioning
- Advanced tread with patented slip-resistant design
- Oil resistant
- Non-marking

A1AX5 A1B7Q A1AX5 A1B7Q A1AX5 A1B7Q

TB0A1AX5001
ALLOY SAFETY TOE
WATERPROOF
Black Full-Grain Leather
3.5-12,13,14,15M/W
T7500WP/T15000SRP

TB0A1B7Q214
ALLOY SAFETY TOE
WATERPROOF
Brown Full-Grain Leather
7-12,13,14,15M/W
T7500WP/T15000SRP

TB01100A001
ALLOY SAFETY TOE
Black Raptek Microfiber
7-12,13,14,15M/W
T6500WP/T13000SRP

BRANSTON

TB091692214
ALLOY SAFETY TOE
OXFORD ESD
Brown Distressed Leather
7-12,13,14,15M/W
T7000WP/T14000SRP

TB091693001
ALLOY SAFETY TOE
OXFORD ESD
Black Full-Grain Leather
7-12,13,14,15M/W
T7000WP/T14000SRP

TB092647001
ALLOY SAFETY TOE
MOC TOE SLIP-ON ESD
Black Full-Grain Leather
7-12,13,14,15M/W
T7000WP/T14000SRP

TB091694214
ALLOY SAFETY TOE
MOC TOE SLIP-ON ESD
Brown Distressed Leather
7-12,13,14,15M/W
T7000WP/T14000SRP

TITAN® OXFORD

47028
40044
53534

53534

TB047028210
TITAN® SAFETY TOE
Haystack Brown Oiled
Full-Grain Leather
7-12,13,14,15M/W/XW
T6500WP/T13000SRP

TB047015242
TITAN® SOFT TOE
Haystack Brown Oiled
Full-Grain Leather
7-12,13,14,15M/W
T6250WP/T12500SRP

TB040044001
TITAN® SAFETY TOE
Black Smooth
7-12,13,14,15M/W
T6500WP/T13000SRP

TB053534230
TITAN® SAFETY TOE
Camel Brown Oiled
7-12,13,14,15M/W
T6250WP/T12500SRP

GLADSTONE

TB086509214
STEEL SAFETY TOE ESD
Brown Full-Grain Leather
7-12,13,14,15M/W
T6750WP/T13500SRP

TB085590214
STEEL SAFETY TOE ESD
Brown Full-Grain Leather
7-12,13,14,15M/W
T6750WP/T13500SRP

6 INCH WORK BOOTS

Designed for optimal performance and comfort on the job, these rugged work boots offer the best in Timberland PRO® craftsmanship and classic styling. We mix field-tested designs with work-ready materials to build rugged boots guaranteed to get the job done.

NEW

TIMBERLAND PRO® HELIX HD ..... PAGE 44
TIMBERLAND PRO® BOONDOCK ..... PAGE 46

CARRYOVER

TIMBERLAND PRO® GRIDWORKS ..... PAGE 47
TIMBERLAND PRO® STOCKDALE ..... PAGE 48
ASCENDER ..... PAGE 49
RESISTOR ..... PAGE 50
AG BOSS ..... PAGE 50
TIMBERLAND PRO® HELIX ..... PAGE 51
TIMBERLAND PRO® ENDURANCE ..... PAGE 52
TIMBERLAND PRO® TITAN® ..... PAGE 53
DIRECT ATTACH ..... PAGE 54
PIT BOSS ..... PAGE 55
LINDEN ..... PAGE 55
POWERWELT ..... PAGE 56
RIGMASTER ..... PAGE 56
BARSTOW WEDGE ..... PAGE 57
TIMBERLAND PRO® WEDGE ..... PAGE 57
MAGNUS ..... PAGE 57

TIMBERLAND PRO® HELIX HD

Borrowing from the original DNA of our Helix workboots, the new Helix HD balances lightweight comfort with added durability of the rubber toe protection and Anti-Fatigue Technology comfort found in our Endurance and Boondock product lines. Timberland PRO® Rubber outsole and stitched on toe cap provide enhanced abrasion resistance and superior traction.

- Premium waterproof full grain leather with waterproof membrane
- Molded Timberland PRO® rubber toe
- Composite safety toe
- Timberland PRO® Rubber Outsole with Injected Polyurethane Midsole
- Ladder-Lock™ Outsole Radius
- Dual Density Dynamic Anti-Fatigue Technology polyurethane footbed
- Mesh lining with antimicrobial treatment for odor control
- Fiber Glass Shank for Structural Support

TIMBERLAND PRO® RUBBER OUTSOLE

- Slip resistant
- Abrasion resistant
- Oil-resistant
- Non-marking
- Ladder-Lock™ Outsole Radius

NEW
7/21/2017

TB0A1HPY231
6" HELIX HD COMPOSITE SAFETY TOE WATERPROOF
Distressed Wheat Full-Grain Leather
7-12,13,14,15 M/W
T9000WP/T18000SRP

NEW
7/21/2017

TB0A1HQL214
6" HELIX HD COMPOSITE SAFETY TOE WATERPROOF
Distressed Brown Full-Grain Leather
7-12,13,14,15 M/W
T9000WP/T18000SRP

NEW
7/21/2017

TB0A1I4H214
6" HELIX HD COMPOSITE SAFETY TOE WATERPROOF
Tempest Full-Grain Leather
7-12,13,14,15 M/W
T9000WP/T18000SRP

HOODIE
Hood Honcho Full-Zip Hooded Sweatshirt
(TB0A1HVC360)

PANTS
Grit-N-Grind Flex Denim Work Pant
(TB0A1HYS288)

TIMBERLAND PRO® BOONDOCK

- Premium waterproof leather with waterproof membrane
- Molded Timberland PRO® rubber toe protector (excludes A127G, A127R)
- Composite safety toe shaped on TiTAN® last
- Combination three-quarter Goodyear welt/cement heel construction
- Rigid external heel cup for lateral stability
- Dual-density polyurethane (PU) midsole and all-weather Thermoplastic Urethane (TPU) outsole
- Dual-purpose top hardware for instant lacing customization
- Fiberglass shank for structural support
- Dual-density Dynamic Anti-Fatigue Technology footbed

ALL-WEATHER THERMOPLASTIC URETHANE OUTSOLE

- Low temperature formulation maximizes traction on cold surfaces (tested using SATRA TM144:2007 frosted rough ice surface) and extends flexibility in cold environments
- Deep lugs for mud and snow traction
- Slip resistant
- Abrasion resistant
- Oil-resistant sole tested for volume swell using EN345 TMP ASTM fuel A & Diesel ISO 1817 liquid F for 22 hours and ASTM IRM903 & fuel B for 46 hours

EXCLUDES 92673

92641 A1FZP 92641 92673 92615

VIDEO CONTENT

NEW 7/21/2017

TB0A1FZP001
6" BOONDOCK COMPOSITE SAFETY TOE WATERPROOF
Black Full-Grain Leather
7-12,13,14,15 M/W
T10000WP/T20000SRP

TB092641214
6" COMPOSITE SAFETY TOE WATERPROOF INSULATED
Brown Tumbled Leather
7-12,13,14,15M/W
T10250WP/T20500SRP

TB092673214
6" SOFT TOE WATERPROOF
Brown Oiled Distressed Leather
7-12,13,14,15M/W
T9500WP/T19000SRP

TB0A127G214
6" COMPOSITE SAFETY TOE WATERPROOF
Brown Distressed Leather
7-12,13,14,15M/W
T10000WP/T20000SRP

TB092615214
6" COMPOSITE SAFETY TOE WATERPROOF
Brown Oiled Distressed Leather
7-12,13,14,15M/W
T10000WP/T20000SRP

TB0A127R001
6" COMPOSITE SAFETY TOE WATERPROOF
Black Full-Grain Leather
7-12,13,14,15M/W
T10000WP/T20000SRP

TIMBERLAND PRO® GRIDWORKS

- Premium full-grain leather
- Alloy safety toe on TiTAN® last (A1B4K and A1GNL)
- Steel shank for structural support
- Dual-purpose cast metal top hardware
- Unlined with antimicrobial treatment for odor control and comfortable feet
- Dual-density Dynamic Anti-Fatigue Technology polyurethane footbed

ALL-WEATHER THERMOPLASTIC URETHANE OUTSOLE

- Low temperature formulation maximizes traction on cold surfaces (tested using SATRA TM144:2007 frosted rough ice surface) and extends flexibility in cold environments
- Slip resistant
- Abrasion resistant
- Oil-resistant sole tested for volume swell using EN345 TMP ASTM fuel A and Diesel ISO 1817 liquid F for 22 hours and ASTM D5963 & fuel B for 46 hours
- Flat Wedge outsole for maximum ground contact and traction

30-DAY COMFORT GUARANTEE

A1B4K
A1GNL

VIDEO CONTENT

TB0A1B4L214
6" SOFT TOE
Brown Full-Grain Leather
7-12,13,14,15 M/W
T8000WP/T16000SRP

TB0A1GNL214
6" ALLOY SAFETY TOE
Red/Brown Full-Grain Leather
7-12,13,14,15 M/W
T8500WP/T17000SRP

TB0A1B4K001
6" ALLOY SAFETY TOE
Black Full-Grain Leather
7-12,13,14,15 M/W
T8500WP/T17000SRP

TIMBERLAND PRO® STOCKDALE

- Premium seam-sealed waterproof full-grain leather (A16YL)
- Premium Raptek microfiber (1064A and A1216)
- Alloy safety toe on TiTAN® last
- Gripmax "wiper" technology helps clean a path to make more contact with a less contaminated surface
- Heel and forepart center pods for advanced underfoot performance, including Mark II oily wet #3 at .4, and 10% Hocut oil at .55
- Mesh lining with antimicrobial treatment for odor control
- Thermoplastic urethane heel stabilizer

RUBBER GRIPMAX™ OUTSOLE

- Lightweight yet rugged with exceptional cushioning
- Advanced tread with patent pending slip-resistant design
- Oil resistant
- Non-marking

A1GYL A1GYL

TB0A1GYL214
6" ALLOY SAFETY TOE WATERPROOF
Brown Full-Grain Leather
7-12,13,14,15 M/W
T8750WP/T17500SRP

TB01064A001
6" ALLOY SAFETY TOE
Black Raptek Microfiber
7-12,13,14,15M/W
T7000WP/T14000SRP

TB0A1216214
6" ALLOY SAFETY TOE
Dark Brown Raptek Microfiber
7-12,13,14,15M/W
T7000WP/T14000SRP

TIMBERLAND PRO® ASCENDER

A174E A174E A1GM1
A160P A360P
A1711 A1711

TB0A1GM1214
6" ALLOY SAFETY TOE MET GUARD
Brown Full-Grain Leather
7-12,13,14,15 M/W
T8500WP/T17000SRP

TB0A174E231
6" ALLOY SAFETY TOE WATERPROOF
Wheat Nubuck Leather
7-12,13,14,15M/W
T8000WP/T16000SRP

TB0A160P001
6" ALLOY SAFETY TOE WATERPROOF
Black Full-Grain Leather
7-12,13,14,15M/W
T8000WP/T16000SRP

TB0A1711214
6" ALLOY SAFETY TOE WATERPROOF
Brown Full-Grain Leather
7-12,13,14,15M/W
T8000WP/T16000SRP

TB0A16XP214
6" ALLOY SAFETY TOE
Brown Full-Grain Leather
7-12,13,14,15M/W
T7250WP/T14500SRP

RESISTOR WATERPROOF

A121H A121S

TB0A121H231
6" COMPOSITE SAFETY TOE WATERPROOF INSULATED
Wheat Nubuck Leather
T8500WP/T17000SRP

TB0A121S214
6" COMPOSITE SAFETY TOE WATERPROOF
Brown Oiled Nubuck
with Ever-Guard™ Leather
7-12,13,14,15M/W
T8500WP/T17000SRP

TB0A1224214
6" COMPOSITE SAFETY TOE WATERPROOF
Brown Tumbled Full-Grain Leather
7-12,13,14,15M/W
T8500WP/T17000SRP

TB0A122Q001
6" COMPOSITE SAFETY TOE WATERPROOF
Black Tumbled Full-Grain Leather
7-12,13,14,15M/W
T8500WP/T17000SRP

AG BOSS

TB0A16M3214
6" ALLOY SAFETY TOE UNLINED
Brown Distressed Leather
7-12,13,14,15M/W
T9250WP/T18500SRP

TIMBERLAND PRO® HELIX

EXCLUDES 87517 87529 | EXCLUDES 87517 | EXCLUDES 86518 | EXCLUDES 86518 | EXCLUDES 86518

TB086518214
6" ALLOY SAFETY TOE
Brown Full-Grain Leather
5-12,13,14,15M/W
T8150WP/T16300SRP

TB089655214
6" ALLOY SAFETY TOE WATERPROOF
Brown Oiled Distressed Leather
7-12,13,14,15M/W
T9400WP/T18800SRP

TB087517001
6" COMPOSITE SAFETY TOE WATERPROOF
Black Full-Grain Leather
7-12,13,14,15M/W
T9650WP/T19300SRP

TB085594214
6" ALLOY SAFETY TOE WATERPROOF
Brown Full-Grain Leather
5-12,13,14,15M/W
T9400WP/T18800SRP

TB087529214
6" SOFT TOE WATERPROOF
Brown Full-Grain Leather
7-12,13,14,15M/W
T8900WP/T17800SRP

TIMBERLAND PRO® ENDURANCE PR

EXCLUDES 89631 | 47591 47592 | 47591 47592 | 47591 47592 | EXCLUDES 89631

TB01067A001
6" STEEL SAFETY TOE
Black Full-Grain Leather
7-12,13,14,15M/W
T8250WP/T16500SRP

TB052562214
6" STEEL SAFETY TOE
Briar Full-Grain Leather
7-12,13,14,15M/W
T8250WP/T16500SRP

TB089631214
6" SOFT TOE
Briar Full-Grain Leather
7-12,13,14,15M/W
T7750WP/T15500SRP

TB047591214
6" STEEL SAFETY TOE
WATERPROOF
Rancher Brown Full-Grain Leather
7-12,13,14,15M/W
T9250WP/T18500SRP

TB047592001
6" STEEL SAFETY TOE
WATERPROOF
Black Full-Grain Leather
7-12,13,14,15M/W
T9250WP/T18500SRP

TIMBERLAND PRO® ENDURANCE

TB054567214
6" XL ALLOY SAFETY TOE
Brown Nubuck Leather with
Ever-Guard™ Leather
7-12,13,14,15M/W
T8750WP/T17500SRP

TiTAN®

90665 26078 90665 90665
50507 50506 26078 26078
50508 26063 53536 53536
26064

50507 90665
50508 26078
53536

TB090665214
6" TITAN® COMPOSITE SAFETY TOE WATERPROOF
Dark Brown Full-Grain Leather
7-12,13,14,15M/W
T9000WP/T18000SRP

TB026078242
6" TITAN® SAFETY TOE WATERPROOF
Dark Mocha Full-Grain Leather
7-12,13,14,15M/W/XW
T8500WP/T17000SRP

TB053536210
6" TITAN® SOFT TOE WATERPROOF
Dark Mocha
Full-Grain Leather
7-12,13,14,15M/W
T8000WP/T16000SRP

TB050507001
6" TITAN® COMPOSITE SAFETY TOE
Black Full-Grain Leather
7-12,13,14,15M/W
T7500WP/T15000SRP

TB050508210
6" TITAN® COMPOSITE SAFETY TOE
Camel Brown
Full-Grain Leather
7-12,13,14,15M/W
T7500WP/T15000SRP

TB050506242
6" TITAN® SAFETY TOE
Haystack Brown
Full-Grain Leather
7-12,13,14,15M/W
T7250WP/T14500SRP

TB026063214
6" TITAN® SAFETY TOE
Coffee Full-Grain Leather
7-12,13,14,15,16,17M/W
7-12,13,14,15XW
T7250WP/T14500SRP

TB024097214
6" TITAN® SOFT TOE
Coffee Full-Grain Leather
7-12,13,14,15M/W
T6750WP/T13500SRP

TB026064001
6" TITAN® SAFETY TOE
Blackout Full-Grain Leather
7-12,13,14,15M/W
T7250WP/T14500SRP

DIRECT ATTACH WATERPROOF

65016
26038
38021
ONLY

TB065016713
6" STEEL SAFETY TOE WATERPROOF INSULATED
Wheat Nubuck Leather
7-12,13,14,15M/W
T7500WP/T15000SRP

TB026038001
6" STEEL SAFETY TOE WATERPROOF INSULATED
After Dark Full-Grain Leather
7-12,13,14,15M/W
T7500WP/T15000SRP

TB038021242
6" STEEL SAFETY TOE WATERPROOF INSULATED
Brown Oiled Full-Grain Leather
7-12,13,14,15M/W
T7500WP/T15000SRP

TB065030713
6" SOFT TOE WATERPROOF INSULATED
Wheat Nubuck Leather
6-12,13,14,15M/W
T7250WP/T14500SRP

TB026036001
6" SOFT TOE WATERPROOF INSULATED
After Dark Full-Grain Leather
7-12,13,14,15M/W
T7250WP/T14500SRP

TB038020242
6" SOFT TOE WATERPROOF INSULATED
Brown Oiled Full-Grain Leather
7-12,13,14,15M/W
T7250WP/T14500SRP

PIT BOSS

33031
33032
33034
ONLY

TB033034214
6" STEEL SAFETY TOE
Gaucho Oiled Nubuck Leather
7-12,13,14,15M/W
T6375WP/T12750SRP

TB033031231
6" STEEL SAFETY TOE
Wheat Nubuck Leather
7-12,13,14,15M/W
T6375WP/T12750SRP

TB033032001
6" STEEL SAFETY TOE
Black Oiled Nubuck Leather
7-12,13,14,15M/W
T6375WP/T12750SRP

TB033046214
6" SOFT TOE
Gaucho Oiled Nubuck Leather
7-12,13,14,15M/W
T6125WP/T12250SRP

TB033030231
6" SOFT TOE
Wheat Nubuck Leather
7-12,13,14,15M/W
T6125WP/T12250SRP

LINDEN

TB01150A214
6" ALLOY SAFETY TOE
Brown Raptek Microfiber
7-12,13,14,15 M/W
T6750WP/T13500SRP

POWERWELT

TB047001242
6" STEEL SAFETY TOE
WATERPROOF
Rancher Brown Oiled Full-Grain
with Ever-Guard™ Leather
7-12,13,14,15M/W
T8550WP/T17100SRP

RIGMASTER XT WATERPROOF

TB0A11R0214
6" STEEL SAFETY TOE
WATERPROOF
Brown Tumbled Leather
7-12,13,14,15M/W
T8500WP/T17000SRP

BARSTOW WEDGE

88559 ONLY

TB088559214
6" MOC ALLOY SAFETY TOE
Rust Full-Grain Leather
7-12,13,14,15M/W
T7500WP/T15000SRP

TB089647214
6" MOC SOFT TOE
Rust Full-Grain Leather
7-12,13,14,15M/W
T7250WP/T14500SRP

TIMBERLAND PRO® WEDGE

TB053009214
6" SOFT TOE
Rust Full-Grain Leather
7-12,13,14,15M/W
T6250WP/T12500SRP

MAGNUS

TB085591214
6" STEEL SAFETY TOE
Brown Oiled Nubuck Leather
7-12,13,14,15M/W
T6000WP/T12000SRP

8 INCH WORK BOOTS

Quality, durability and performance all come together in our rugged 8" work boots. Every feature has a purpose, every material is proven to perform in the field—and they're all built to make long days in the most demanding environments safer and more comfortable.

CARRYOVER

TIMBERLAND PRO® GRIDWORKS ..... PAGE **60**
TIMBERLAND PRO® ENDURANCE ..... PAGE **60**
TIMBERLAND PRO® HELIX ..... PAGE **60**
TIMBERLAND PRO® BOONDOCK ..... PAGE **61**
TIMBERLAND PRO® TITAN® ..... PAGE **62**
DIRECT ATTACH ..... PAGE **62**
RIGMASTER ..... PAGE **62**

SHIRT
Base Plate Blended Short-Sleeve T-Shirt
(TB0A1HNS434)

PANTS
Grit-N-Grind Flex Denim Work Pant
(TB0A1HYS423)

TIMBERLAND PRO® GRIDWORKS WATERPROOF

A16SS

TB0A16T4214
8" SOFT TOE WATERPROOF
Brown Full-Grain Leather
7-12,13,14,15M/W
T9250WP/T18500SRP

TB0A16SS001
8" ALLOY SAFETY TOE WATERPROOF
Black Full-Grain Leather
7-12,13,14,15M/W
T9750WP/T19500SRP

TIMBERLAND PRO® ENDURANCE PR

95567 95567 95567 95567

TB095567001
8" STEEL SAFETY TOE WATERPROOF INSULATED
Black Full-Grain Leather
7-12,13,14,15M/W
T10250WP/T20500SRP

TB052561214
8" STEEL SAFETY TOE
Briar Full-Grain Leather
7-12,13,14,15M/W
T9000WP/T18000SRP

TIMBERLAND PRO® HELIX WATERPROOF

91867

TB091607214
8" COMPOSITE SAFETY TOE WATERPROOF INSULATED
Brown Oiled Distressed Leather
7-12,13,14,15M/W
T10150WP/T20300SRP

TB087566214
8" COMPOSITE SAFETY TOE WATERPROOF
Brown Full-Grain Leather
7-12,13,14,15M/W
T10150WP/T20300SRP

BOONDOCK WATERPROOF

EXCLUDES
1159A
1113A
89635

1158A
1159A
89628
92671
A128P

TB01158A214
8" COMPOSITE SAFETY TOE WATERPROOF INSULATED
Brown Tumbled Leather
7-12,13,14,15M/W
T12000WP/T24000SRP

TB0A11UI001
8" COMPOSITE SAFETY TOE WATERPROOF
Black Smooth Leather
7-12,13,14,15M/W
T11500WP/T23000SRP

TB01159A214
8" SOFT TOE WATERPROOF INSULATED
Brown Tumbled Leather
7-12,13,14,15M/W
T11500WP/T23000SRP

TB01112A210
8" COMPOSITE SAFETY TOE WATERPROOF
Brown Tumbled Leather
7-12,13,14,15M/W
T11500WP/T23000SRP

TB01113A210
8" SOFT TOE WATERPROOF
Brown Tumbled Leather
7-12,13,14,15M/W
T11000WP/T22000SRP

TB0A128P214
8" COMPOSITE SAFETY TOE WATERPROOF INSULATED
Brown Tumbled Leather
7-12,13,14,15W
T13000WP/T26000SRP

TB089628214
8" COMPOSITE SAFETY TOE WATERPROOF INSULATED
Brown Full-Grain Leather
7-12,13,14,15M/W
T11750WP/T23500SRP

TB089635214
8" SOFT TOE WATERPROOF INSULATED
Brown Full-Grain Leather
7-12,13,14,15M/W
T11000WP/T22000SRP

TB092671214
8" COMPOSITE SAFETY TOE WATERPROOF
Brown Oiled Distressed Leather
7-12,13,14,15M/W
T11500WP/T23000SRP

TiTAN® WATERPROOF

TB047019210
8" TITAN® SAFETY TOE
WATERPROOF
Cappuccino Full-Grain Leather
7-12,13,14,15M/W
T8750WP/T17500SRP

DIRECT ATTACH WATERPROOF

26002

TB026002713
8" STEEL SAFETY TOE
WATERPROOF INSULATED
Wheat Nubuck Leather
7-12,13,14,15M/W
T7750WP/T15500SRP

TB026011713
8" SOFT TOE WATERPROOF
INSULATED
Wheat Nubuck Leather
7-12,13,14,15M/W
T7500WP/T15000SRP

TB038022242
8" SOFT TOE
WATERPROOF INSULATED
Brown Oiled Full-Grain Leather
7-12,13,14,15M/W
T7500WP/T15000SRP

RIGMASTER WATERPROOF

95553 A11SB A11SB

TB095553214
8" STEEL SAFETY TOE
WATERPROOF
Brown Full-Grain
with Ever-Guard™ Leather
7-12,13,14,15M/W
T9750WP/T19500SRP

TB0A11SB214
8" STEEL SAFETY TOE
WATERPROOF XT
Brown Tumbled Leather
7-12,13,14,15M/W
T9000WP/T18000SRP

HOODIE
Hood Honcho Full-Zip Hooded Sweatshirt
(TB0A115D434)

PANTS
GridFlex™ Basic Work Pant
(TB0A11YVC76)

WORK HIKERS

Designed and reinforced for the job at hand are the Timberland PRO® Work Hikers. Our most rugged leathers and aggressive tread patterns are used throughout the collection—to create a work boot with the comfort and performance of a hiking boot.

NEW

TIMBERLAND PRO® EURO HIKER ..... PAGE **66**

CARRYOVER

HYPERION ..... PAGE **66**
MUDSILL ..... PAGE **67**
GORGE ..... PAGE **67**
TITAN TREKKER ..... PAGE **67**
MUDSLINGER ..... PAGE **67**

HOODIE

Hood Honcho Sport Pullover Hoodie
(TB0A1HVYK26)

PANTS

GridFlex™ Canvas Utility Pant
(TB0A119R015)

TIMBERLAND PRO® EURO HIKER

The Euro Hiker was introduced by Timberland in 1988 and has become an iconic silhouette. Timberland PRO brings the classic Euro Hiker into the 21st century. As Detroit has reinvented the muscle cars of yesteryear, Timberland PRO has maintained the aesthetic while pulling out all the stops to ensure the boot is up for the challenges of today's workforce. A wider sole platform with a lower center of gravity provides stability and increased traction on many surfaces. Full Grain leathers with a breathable waterproof membrane offer protection in any weather.

- Premium waterproof full grain leather with waterproof membrane
- Alloy safety toe
- All Weather TPU Outsole with Polyurethane Midsole
- Dynamic Anti-Fatigue Technology polyurethane footbed
- Mesh lining with antimicrobial treatment for odor control
- Fiber Glass Shank for Structural Support

ALL-WEATHER THERMOPLASTIC URETHANE OUTSOLE

- Low temperature formulation maximizes traction on cold surfaces (tested using SATRA TM144:2007 frosted rough ice surface) and extends flexibility in cold environments
- Slip resistant
- Abrasion resistant
- Oil-resistant sole tested for volume swell using EN345 TMP ASTM fuel A and Diesel ISO 1817 liquid F for 22 hours and ASTM IRM903 & fuel B for 46 hours

NEW 7/21/2017

TB0A1HC5214
EURO HIKER ALLOY SAFETY TOE WATERPROOF
Brown Full-Grain Leather
7-12,13,14,15 M/W
T8250WP/T16500SRP

NEW 7/21/2017

TB0A1HBT001
EURO HIKER ALLOY SAFETY TOE WATERPROOF
Black Full-Grain Leather
7-12,13,14,15 M/W
T8250WP/T16500SRP

HYPERION WATERPROOF

91696
A17HH
90646

90625
91696
90646

TB090625357
6" XL SOFT TOE WATERPROOF
Slate Nubuck Leather
7-12,13,14,15M/W
T8500WP/T17000SRP

TB0A17HH214
4" XL ALLOY SAFETY TOE WATERPROOF
Brown Distressed Leather
7-12,13,14,15M/W
T9000WP/T18000SRP

TB091696214
4" XL ALLOY SAFETY TOE WATERPROOF
Brown Distressed Leather/Fabric
7-12,13,14,15M/W
T8250WP/T16500SRP

TB090646214
6" XL ALLOY SAFETY TOE WATERPROOF
Brown/Black Distressed All Leather
7-12,13,14,15M/W
T9250WP/T18500SRP

MUDSILL

TB061009484
STEEL SAFETY TOE
Grey/Sapphire Split Suede
7-12,13,14,15M/W
T5750WP/T11500SRP

TB040008484
STEEL SAFETY TOE
Black PU Coated Split Suede
7-12,13,14,15M/W
T5750WP/T11500SRP

GORGE

TB081016214
STEEL SAFETY TOE ESD
Tan Nubuck Leather
7-12,13,14,15M/W
T6500WP/T13000SRP

TITAN® TREKKER WATERPROOF

TB085520214
TITAN® SAFETY TOE WATERPROOF
Worchester Rancher Full-Grain Leather
7-12,13,14,15M/W
T7500WP/T15000SRP

MUDSLINGER WATERPROOF

TB086515214
STEEL SAFETY TOE WATERPROOF
Brown Nubuck Leather
7-12,13,14,15M/W
T6750WP/T13500SRP

PULL-ON WORK BOOTS

Timberland PRO has always been about delivering premium products that stand up to the most rugged users and the harshest conditions. Now we've built upon that tradition, creating products for the farm and ranch channel. With the utmost attention to craftsmanship and innovation, each boot provides the ultimate comfort, durability and performance.

CARRYOVER

STOCKDALE ..... PAGE **70**
LINDEN ..... PAGE **70**
AG BOSS ..... PAGE **71**
INDEPENDENCE ..... PAGE **71**
MORTAR ..... PAGE **72**
RIGMASTER ..... PAGE **72**
POWERWELT ..... PAGE **72**
TIMBERLAND PRO® HELIX ..... PAGE **73**
CAPROCK ..... PAGE **73**
EXCAVE ..... PAGE **73**

TIMBERLAND PRO® STOCKDALE

TB0A1AXG001
8" ALLOY SAFETY TOE
WATERPROOF
Black Ever-Guard™
7-12,13,14,15 M/W
T8250WP/T16500SRP

TIMBERLAND PRO® LINDEN

TB0A1B3P214
6" ALLOY SAFETY TOE
Brown Raptek Microfiber
7-12,13,14,15 M/W
T7000WP/T14000SRP

AG BOSS

EXCLUDES A1723 A172P

EXCLUDES A12CS

EXCLUDES A12CS

TB0A12CS214
ALLOY SAFETY TOE
UNLINED PULL-ON
Brown Distressed Leather
7-12,13,14,15M/W
T10750WP/T21500SRP

TB0A1723214
SOFT TOE WATERPROOF PULL-ON
Brown Distressed Leather
7-12,13,14,15M/W
T11250WP/T22500SRP

TB01053A214
ALLOY SAFETY TOE
WATERPROOF PULL-ON
Brown Distressed Leather
7-12,13,14,15M/W
T11750WP/T23500SRP

TB091636214
SQUARE ALLOY SAFETY TOE
WATERPROOF PULL-ON
Red Brown Distressed Leather
7-12,13,14,15M/W
T12000WP/T24000SRP

TB0A172P214
SQUARE SOFT TOE
WATERPROOF PULL-ON
Brown Distressed Leather
7-12,13,14,15M/W
T11500WP/T23000SRP

TB01001A214
SQUARE ALLOY SAFETY TOE
WATERPROOF PULL-ON
Brown Distressed Leather
7-12,13,14,15M/W
T12000WP/T24000SRP

INDEPENDENCE

TB0A173N214
SQUARE SOFT TOE
UNLINED PULL-ON
Brown Full-Grain Leather
with Embroidered Stitched
Upper: "Live Free or Die"
7-12,13,14,15M/W
T10500WP/T21000SRP

MORTAR WATERPROOF

TB01059A214
COMPOSITE SAFETY TOE
WATERPROOF
Brown 2520D Ballistic Nylon
7-12,13,14,15M/W
T11000WP/T22000SRP

RIGMASTER WATERPROOF

TB089604270
STEEL SAFETY TOE
WATERPROOF
Wheat Bandit Full-Grain
with Ever-Guard™ Leather
7-12,13,14,15M/W
T10000WP/T20000SRP

POWERWELT

TB053522210
STEEL SAFETY TOE PULL ON
Rancher Brown Oiled Full-Grain
with Ever-Guard™ Leather
7-12,13,14,15M/W
T8800WP/T17600SRP

TIMBERLAND PRO® HELIX WATERPROOF

TB088537214
COMPOSITE SAFETY TOE WATERPROOF
Brown Full-Grain Leather
7-12,13,14,15M/W
T10650WP/T21300SRP

CAPROCK

TB01152A214
ALLOY SAFETY TOE
Brown Smooth Leather
7-12,13,14,15M/W
T10000WP/T20000SRP

EXCAVE

91677 87559 91677 87560 91677 87560

TB087559214
STEEL SAFETY TOE
Brown Leather and Fabric
7-12,13,14,15M/W
T7000WP/T14000SRP

TB087560214
SOFT TOE WATERPROOF
Brown Leather and Fabric
7-12,13,14,15M/W
T7250WP/T14500SRP

TB091677214
STEEL SAFETY TOE WATERPROOF
Brown Leather and Textile Upper
7-12,13,14,15M/W
T7750WP/T15500SRP

LOGGERS

Specifically built to take on punishing and unpredictable work environments, Timberland PRO® Loggers are anything but your everyday work boots. Patented abrasion-resistant leathers, composite safety toes, advanced insulation and all-temperature performance outsoles find a place in the collection.

CARRYOVER

RIP SAW ..... PAGE **75**

CROSSCUT ..... PAGE **75**

RIP SAW WATERPROOF

1826A 89565 91614 91614 89656 1114A 91614 89656 91614 1114A

TB089656214
9" COMPOSITE SAFETY TOE WATERPROOF INSULATED LOGGER
Brown Leather
7-12,13,14,15M/W
T13625WP/T27250SRP

TB091614001
9" COMPOSITE SAFETY TOE WATERPROOF CSA LOGGER
Black Leather with Ever-Guard™ Leather
7-12,13,14,15M/W
T14125WP/T28250SRP

TB01114A214
9" SOFT TOE WATERPROOF INSULATED LOGGER
Brown Distressed Leather
7-12,13,14,15M/W
T12625WP/T25250SRP

TB01026A214
9" STEEL SAFETY TOE WATERPROOF LOGGER
Brown Distressed Leather
7-12,13,14,15M/W
T13125WP/T26250SRP

TB092644214
9" SOFT TOE WATERPROOF LOGGER
Brown Leather
7-12,13,14,15M/W
T11625WP/T23250SRP

CROSSCUT WATERPROOF

A12KN A12N6

TB0A12KN214
8" STEEL SAFETY TOE WATERPROOF LOGGER
Brown Distressed Leather
7-12,13,14,15M/W
T12250WP/T24500SRP

TB0A12MU214
8" SOFT TOE WATERPROOF LOGGER
Brown Distressed Leather
7-12,13,14,15M/W
T11750WP/T23500SRP
(not shown)

TB0A12N6001
8" STEEL SAFETY TOE WATERPROOF LOGGER
Black Full-Grain Leather
7-12,13,14,15M/W
T12250WP/T24500SRP

TB0A12DF001
8" SOFT TOE WATERPROOF LOGGER
Black Full-Grain Leather
7-12,13,14,15M/W
T11750WP/T23500SRP
(not shown)

MET/ SPECIALTY

We know some environments demand specialized protective measures. The boots in our specialty collections were designed alongside industry experts to surpass industry standards for safety. Our Met Guard series offers internal and external shields—while the Gravel Pit mining series is built with Ever-Guard™ leather for extreme durability and a membrane for guaranteed waterproof protection.

CARRYOVER

ASCENDER MET GUARD ..... PAGE **78**
TIMBERLAND PRO® POWERTRAIN ..... PAGE **78**
FLEXSHIELD ..... PAGE **79**
TIMBERLAND PRO® ENDURANCE MET GUARD ..... PAGE **79**
TIMBERLAND PRO® HELIX ..... PAGE **79**
RIGMASTER ..... PAGE **79**
EXCAVE ..... PAGE **80**
INTERNAL MET GUARD ..... PAGE **80**
EXTERNAL MET GUARD ..... PAGE **80**
GRAVEL PIT ..... PAGE **81**
WARRICK ..... PAGE **81**



ASCENDER MET GUARD

TB0A1GM1214
6" ALLOY SAFETY TOE
INTERNAL MET GUARD
Brown Full-Grain Leather
7–12,13,14,15 M/W
T8500WP/T17000SRP

POWERTRAIN SPORT
INTERNAL ANTI-FATIGUE MET GUARD

TB0A1GHM001
ALLOY SAFETY TOE
INTERNAL MET GUARD EH
Black Synthetic
3.5–12,13,14,15 M/W
T6750WP/T13500SRP

FLEXSHIELD
INTERNAL MET GUARD

TB050504214
6" STEEL SAFETY TOE INTERNAL MET GUARD
Burgundy Oiled Full-Grain Leather
7-12,13,14,15M/W
T8500WP/T17000SRP

TIMBERLAND PRO® ENDURANCE MET GUARD

TB0A172T214
6" STEEL SAFETY TOE EXTERNAL MET GUARD
Brown Full-Grain Leather
3.5-12,13,14,15M/W
T9000WP/T18000SRP

TIMBERLAND PRO® HELIX
INTERNAL ANTI-FATIGUE MET GUARD

TB089697214
6" COMPOSITE SAFETY TOE INTERNAL MET GUARD
Brown Full-Grain Leather
3.5-12,13,14,15M/W
T9750WP/T19500SRP

RIGMASTER
WATERPROOF INTERNAL MET GUARD

TB089649214
8" ALLOY SAFETY TOE WATERPROOF INTERNAL MET GUARD
Brown Full-Grain with Ever-Guard™ Leather
7-12,13,14,15M/W
T10250WP/T20500SRP

EXCAVE MET GUARD

89652 89652 89652

TB089652214
STEEL SAFETY TOE WATERPROOF INTERNAL MET GUARD PULL ON
Brown Tumbled/Brown Ever-Guard™ Leather/Brown Suede
7-12,13,14,15M/W
T9750WP/T19500SRP

TB091678001
6" STEEL SAFETY TOE EXTERNAL MET GUARD
Black Premium Ever-Guard™ Leather
7-12,13,14,15M/W
T7750WP/T15500SRP

INTERNAL MET GUARD

TB085516214
6" STEEL SAFETY TOE INTERNAL MET GUARD
Black Ever-Guard™ Leather
7-12,13,14,15M/W
T8750WP/T17500SRP

EXTERNAL MET GUARD

53530 53530 53530

TB040000001
6" STEEL SAFETY TOE EXTERNAL MET GUARD
Black Ever-Guard™ Leather
5-12,13,14,15M/W
T8750WP/T17500SRP

TB053530001
8" STEEL SAFETY TOE WATERPROOF EXTERNAL MET GUARD
Black Ever-Guard™ Leather
7-12,13,14,15M/W
T10000WP/T20000SRP

GRAVEL PIT MINING BOOT WATERPROOF

400g

TB053531001

10" STEEL SAFETY TOE WATERPROOF INSULATED INTERNAL MET GUARD
Black Full-Grain Leather
with Ever-Guard™ Leather
7-12,13,14,15M/W
T12500WP/T25000SRP

WARRICK SMELTER BOOT

TB099524242

10" ALLOY SAFETY TOE INTERNAL MET GUARD
Brown Full-Grain Leather
5-12,13,14,15M/7-12,13,14,15,16,17,18W
T12250WP/T24500SRP

TIMBERLAND PRO® VALOR™

We know some environments demand specialized protective measures. The boots in our specialty collections were designed alongside industry experts to surpass industry standards for safety. Our Met Guard series offers internal and external shields—while the Gravel Pit mining series is built with Ever-Guard™ leather for extreme durability and a membrane for guaranteed waterproof protection.

NEW

DUTY ..... PAGE **84**

CARRYOVER

TACTICAL ..... PAGE **86**

BOOTS OFFERED IN WOMEN'S SIZES (chart shows how to convert men's sizes to women's)

Men's	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5
Women's	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13

TIMBERLAND PRO® VALOR™ DUTY

- Premium black full-grain leather (A1FY5)
- Flesh out leather (A1H0E)
- Complies with AR 670-1 boot compliance guidelines (A1H0E)
- Cement construction for flexibility and reduced break-in time
- Polishable smooth forefoot with textile upper panels for lightweight durability
- Lightweight molded EVA midsole for athletic performance
- Mesh lining with antimicrobial treatment for odor control and comfortable feet
- Metal detector friendly hardware
- Scotchgard™ protector by 3M® for stain resistance
- Dynamic Anti-Fatigue Technology absorbs shock and returns energy at key zones of the foot for all-day comfort
- Rounded driving moc heel
- Prone lugs for stability
- Wall climb toe grip

TIMBERLAND PRO® RUBBER OUTSOLE

- Non-marking
- Slip resistant
- Oil resistant
- Abrasion resistant

30-DAY COMFORT GUARANTEE

A1FY5

NEW
7/21/2017

TB0A1FY5214
VALOR DUTY OXFORD SOFT TOE
Black Smooth Leather
7-12,13,14,15 M/W
T5500WP/T11000SRP

NEW
1/6/2017

AR 670-1
COMPLIANT

TB0A1H0E214
8" DUTY SOFT TOE
Coyote Flesh Out Leather
w/1200D Ballistic Poly
7-12,13,14,15 M/W
T7250WP/T14500SRP

TIMBERLAND PRO® VALOR™ DUTY

1161A 1165A | EXCLUDES 1162A 1166A | EXCLUDES 1162A 1166A | EXCLUDES 1162A 1166A | 30-DAY COMFORT GUARANTEE | EXCLUDES 1162A 1166A

TB01162A001

6" DUTY SOFT TOE SIDE-ZIP
Black Smooth Leather with
1200D Ballistic Nylon
7-12,13,14,15 M/W
T6500WP/T13000SRP

TB01161A001

6" DUTY COMPOSITE SAFETY TOE WATERPROOF SIDE-ZIP
Black Smooth Leather with
1200D Ballistic Nylon
3.5-12,13,14,15 M/W
T8000WP/T16000SRP

TB01163A001

6" DUTY SOFT TOE WATERPROOF SIDE-ZIP
Black Smooth Leather with
1200D Ballistic Nylon
3.5-12,13,14,15 M/W
T7500WP/T15000SRP

TB01164A001

6" DUTY SOFT TOE WATERPROOF
Black Smooth Leather with
1200D Ballistic Nylon
3.5-12,13,14,15 M/W
T7250WP/T14500SRP

TB01165A001

8" DUTY COMPOSITE SAFETY TOE WATERPROOF SIDE-ZIP
Black Smooth Leather with
1200D Ballistic Nylon
3.5-12,13,14,15 M/W
T8500WP/T17000SRP

TB01166A001

8" DUTY SOFT TOE SIDE-ZIP
Black Smooth Leather with
1200D Ballistic Nylon
7-12,13,14,15 M/W
T7000WP/T14000SRP

TB01168A001

8" DUTY SOFT TOE WATERPROOF
Black Smooth Leather with
1200D Ballistic Nylon
7-12,13,14,15 M/W
T7750WP/T15500SRP

TB01167A001

8" DUTY SOFT TOE WATERPROOF SIDE-ZIP
Black Smooth Leather with
1200D Ballistic Nylon
7-12,13,14,15 M/W
T8000WP/T16000SRP

BOOTS OFFERED IN WOMEN'S SIZES
(chart shows how to convert men's sizes to women's)

Men's	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5
Women's	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13

TIMBERLAND PRO® VALOR™ TACTICAL

92633
92635
92639

92633
92635
92639

92633,92635,92639

EXCLUDES A177Q

TB0A177Q236
8" TACTICAL SOFT TOE
Coyote suede
with 800D Ballistic Poly
7-12,13,14,15 M/W
T6750WP/T13500SRP

TB092634001
5" TACTICAL SOFT TOE
Black Smooth Raptek Microfiber
with 800D Ballistic Poly
7-12,13,14,15 M/W
T5750WP/T11500SRP

TB092633001
5" TACTICAL SOFT TOE WATERPROOF
Black Smooth Raptek Microfiber
with 800D Ballistic Poly
3.5-12,13,14,15 M/W
T7000WP/T14000SRP

TB092638001
8" TACTICAL SOFT TOE SIDE-ZIP
Black Smooth Raptek Microfiber
with 800D Ballistic Poly
7-12,13,14,15 M/W
T6500WP/T13000SRP

TB092635001
5" TACTICAL SOFT TOE WATERPROOF SIDE-ZIP
Black Smooth Raptek Microfiber
with 800D Ballistic Poly
7-12,13,14,15 M/W
T7250WP/T14500SRP

TB092636001
8" TACTICAL SOFT TOE
Black Smooth Raptek Microfiber
with 800D Ballistic Poly
7-12,13,14,15 M/W
T6250WP/T12500SRP

TB092639001
8" TACTICAL SOFT TOE WATERPROOF SIDE-ZIP
Black Smooth Raptek Microfiber
with 800D Ballistic Poly
7-12,13,14,15 M/W
T77500WP/T15500SRP

VIDEO CONTENT

TIMBERLAND PRO® VALOR™ TACTICAL

TB090667001
TACTICAL SOFT TOE OXFORD
Black Smooth Leather with Mesh
3.5-12,13,14,15 M/W
T5500WP/T11000SRP

TIMBERLAND PRO® VALOR™
TACTICAL FOOTWEAR

TIMBERLAND PRO® VALOR™ TACTICAL WORK BOOTS are built specifically to provide public safety professionals with lightweight comfort, durability and protection on the job. The series features our exclusive Dynamic Anti-Fatigue Technology that absorbs shock while returning energy to the foot. Our Weathergear System provides the ultimate defense against wind, water, snow, ice, mud and dirt.

DYNAMIC ANTI-FATIGUE TECHNOLOGY
absorbs shock and returns energy back to key zones of the foot, providing stability and stamina for long workdays

- **BLACK SMOOTH RAPTEK MICROFIBER WITH 800D BALLISTIC POLY** for extreme durability and protection (select styles)
- **HIGHLY POLISHABLE FOREFOOT**
- **MESH LINING WITH ANTIMICROBIAL TREATMENT** for odor control and comfortable feet
- **SCOTCHGARD™ PROTECTOR BY 3M** for stain resistance
- **BLOODBORNE PATHOGEN RESISTANT MEMBRANE** (select styles)
- **DYNAMIC ANTI-FATIGUE TECHNOLOGY** for better shock absorption, energy return and climate control
- **CEMENT CONSTRUCTION** for flexibility and reduced break-in time
- **LIGHTWEIGHT MOLDED EVA** midsole for athletic performance
- **VIBRAM® PERFORMANCE RUBBER OUTSOLE** providing superior traction and is slip, oil and abrasion resistant
- **PATENTED OPTI® SIDE ZIP** with zipper locker (select styles)

WITH

weathergear PROTECTION SYSTEM

No matter what you do or where you do it, Timberland PRO® VALOR™ boots with the Weathergear Protection System are built to protect you from whatever nature dishes out. Decades of bootmaking know-how and innovative technologies provide the ultimate defense against wind, water, snow, ice, mud, dirt and anything else you may encounter out there. Timberland PRO® VALOR™ boots with the Weathergear Protection System stand for comfort and confidence at work, whatever the weather.

WATER
Specially-treated leather and waterproof lining provides added protection from water and moisture.

EARTH
Tough-wearing leathers, reinforced stitching and shock-absorbing cushioning endure even the roughest terrains and conditions.

WIND
Protects against external elements while allowing perspiration to escape, maintaining a comfortable, dry boot all day.

SKY
Whether the temperature changes or conditions go from wet to dry, these boots are made to keep you comfortable no matter what environment you find yourself in.

DEFENDER Repellent Systems

FEATURING Scotchgard™

Defender Repellent Systems® coating featuring Scotchgard™ protector were engineered specifically to address the dynamic environmental conditions military footwear may be subjected to while in combat theater.

- Defender Repellent Systems® coating with Scotchgard™ protector are amazingly resistant, lasting up to 6x longer than painted surfaces.
- Protects Boot: Upper; Leather; Textiles; and Stitching.
- Repels and prevents absorption of: Water; Kerosene; Diesel Fuel; used Motor Oil; Transmission Fluids; Alcohol; and Car Wash Detergent.

ACCESSORIES

Timberland PRO® replacement insoles offer the same all-day comfort as our original boot insoles—and more. The Anti-Fatigue Technology insole features our unique inverted cone design for energy return, while the High-Rebound Cushion insole provides maximum resilience in high-impact applications. Both are moisture wicking and highly resilient with dynamic arch support to keep feet feeling energized throughout the workday.

ANTI-FATIGUE TECHNOLOGY INSOLE

TB091621827
ANTI-FATIGUE TECHNOLOGY INSOLE
XS, S, M, L, XL, XXL
T1500WP/T2999SRP

FEATURES

- Anti-Fatigue Technology utilizes a unique inverted cone design for lightweight, resilient support, superior shock absorption and energy return
- OrthoLite® top layer provides premium comfort and moisture management
- Anatomically contoured footbed cradles the foot to provide maximum comfort and support
- The dynamic arch design adapts to all foot shapes for maximum support and comfort

POWERFIT COMFORT SYSTEM · 1 YEAR UNCONDITIONAL COMFORT GUARANTEE

HIGH-REBOUND MEMORY FOAM INSOLE

TB091622484
HIGH-REBOUND MEMORY FOAM INSOLE
XS, S, M, L, XL, XXL
T900WP/T1799SRP

FEATURES

- OrthoLite® x-40 high-rebound open-cell foam provides maximum resilience in high-impact applications. It is breathable, moisture wicking, and provides added antimicrobial protection for odor control
- Anatomically contoured footbed cradles the foot to provide maximum comfort and support
- The dynamic arch design adapts to all foot shapes for maximum support and comfort

POWERFIT COMFORT SYSTEM · 1 YEAR UNCONDITIONAL COMFORT GUARANTEE

SIZING LABEL STANDARDS

SIZE	XS	S	M	L	XL	XXL
WOMEN'S	5/6	7/8	9/10	11/12		
MEN'S		6/7	8/9	10/11	12/13	14/15

COMFORT FOOTBEDS

SINGLE-DENSITY OPEN-CELL POLYURETHANE FOOTBED

- Self-molding for custom fit
- Durable: resists compression set over time
- Resilient: recovers for the next footstrike
- Lightweight
- Moisture-wicking and air-permeable
- Single density

SINGLE-DENSITY ESD OPEN-CELL POLYURETHANE FOOTBED

- Self-molding for custom fit
- Durable: resists compression set over time
- Resilient: recovers for the next footstrike
- Lightweight
- Moisture-wicking and air-permeable
- Single density
- Consistent static-dissipative performance

CONTOURED SINGLE-DENSITY OPEN-CELL POLYURETHANE FOOTBED

- Resilient: recovers for the next footstrike
- Lightweight
- Anatomically contoured design cradles foot and provides added support
- Moisture-wicking and air-permeable

CONTOURED DUAL-DENSITY OPEN-CELL POLYURETHANE FOOTBED

- Resilient: recovers for the next footstrike
- Lightweight
- Dual-density anatomically contoured design cradles foot and provides added support

DYNAMIC ANTI-FATIGUE TECHNOLOGY POLYURETHANE FOOTBED

- Durable: resists compression set over time
- Resilient: recovers for next foot strike
- Mono-sided inverted Anti-Fatigue Technology cones
- Contoured bio-mechanically engineered top surface helps maintain proper gait
- Dynamic arch adapts to different foot shapes for maximum comfort
- Moisture-wicking open-cell top cover

DYNAMIC ANTI-FATIGUE TECHNOLOGY PLUS ESD

- Durable: resists compression set over time
- Resilient: recovers for next foot strike
- Mono-sided inverted Anti-Fatigue Technology cones
- Contoured bio-mechanically engineered top surface helps maintain proper gait
- Dynamic arch adapts to different foot shapes for maximum comfort
- Moisture-wicking open-cell top cover
- Consistent static-dissipative performance

COMFORT SYSTEMS

TIMBERLAND PRO® SERIES FOOTWEAR DELIVERS PROPER UNDERFOOT SUPPORT, SHOCK ABSORPTION AND FLEXIBILITY TO MEASURE UP TO WORKERS' TOUGHEST DEMANDS.

9 HOURS ON YOUR FEET, NEVER FELT SO GOOD.

- Timberland PRO® Anti-Fatigue Technology absorbs shock with each step while **RETURNING ENERGY BACK TO THE FOOT IN KEY ZONES**, providing more strength and stamina at work.
  - Keeps you energized when on your feet all day
  - Recommended for those who spend most of their day standing or walking
- Innovative design minimizes impact through **SHOCK-ABSORBING CONES** that compress and rebound to maximize support and reduce foot fatigue.
- Contoured insole provides **MAXIMUM SUPPORT AT KEY PRESSURE POINTS AND IMPACT ZONES** like the heel and ball of the foot.

PRO 24/7 COMFORT AND DURABILITY

A UNIQUE COMFORT SYSTEM THAT MEETS THE MOST RIGOROUS WORKSITE DEMANDS—24 HOURS A DAY, 7 DAYS A WEEK. THE TIMBERLAND PRO® 24/7 COMFORT SUSPENSION™ SYSTEM HELPS REDUCE FOOT FATIGUE, SUPPORTS THE ARCH AND CUSHIONS EVERY STEP.

- **SUSPENSION:** Comfort insole and arch support decrease fatigue, so you can spend more time on your feet in comfort
- **IMPACT REDUCTION:** Contoured shock-diffusion plate supports and stabilizes the foot, and disperses pressure to reduce foot fatigue
- **COMFORT:** Midsole and outsole designs support and flex, providing superior comfort whether you're walking, standing, reaching or climbing

POWERFIT™ COMFORT SYSTEM

THE POWERFIT™ COMFORT SYSTEM USES A COMBINATION OF ERGONOMICALLY DESIGNED ELEMENTS AT KEY ZONES TO SUPPLY MOVEMENT AND PROVIDE CRITICAL SUPPORT—DELIVERING MAXIMUM COMFORT ALL DAY LONG.

- **ANTIMICROBIAL** odor control treatment to prevent and control odors
- **DUAL-DENSITY POLYURETHANE FOOTBED** provides cushioning and resists compression for comfort and durability
- **WIDER, ROOMIER TOE CAP** provides better fit and protection
- **CONTOURED OPEN-CELL POLYURETHANE FOOTBED** with Outlast® temperature-regulating technology
- **CONTOURED WORK TONGUE** reduces bulk at ankle for better fit and comfort

30-DAY COMFORT GUARANTEE

We believe that Timberland PRO® PowerFit™ work boots are more comfortable than the brand you're currently wearing. If you don't agree, return them within 30 days and we'll refund your purchase price.

30-DAY COMFORT GUARANTEE

If during the first thirty (30) days following your purchase you believe our boots with the PowerFit™ comfort system or Anti-Fatigue Technology comfort system are not more comfortable than other brands you have worn, Timberland will refund the purchase price of the boots to you, no questions asked, provided you still have your dated receipt of purchase.

TIMBERLAND PRO® B2B

REGISTER TODAY AND PLACE YOUR ORDER ON TIMBERLAND'S B2B SITE

FULL ACCOUNT ACCESS. AVAILABLE 24/7.

- Place orders
- View real-time product availability
- View order status and history
- Track shipments and view invoices
- Browse product catalogs

THREE WAYS TO REGISTER:

- Call customer service
  1.855.253.3261 (US)
  1.866.943.7335 (Canada)
- Call your account executive
- Email us at Timberland_B2B@vfc.com
  Please be sure to include:
  - Sold-to name and account number
  - Your full name and phone number

http://vendor.timberland.com

SLIP TEST RATING

To ensure we design and construct the best possible footwear for maximum performance on the job, Timberland PRO has used an international whole slip test method to determine slip resistance. Testing is conducted at a third party, independent SATRA certified test lab. This method was recently adopted by the American Society for Testing and Materials (ASTM) in F2913-11.

Slip resistance testing is used to determine the "Coefficient of Friction" or CoF. CoF is the ratio of two forces acting at the interface of two contacting solid bodies. There are two types of CoF: Static Coefficient of Friction is related to the force to begin movement of the surfaces relative to each other; while Dynamic (Kinetic) Coefficient of Friction measurement is obtained during movement between two contacting solid bodies.

ASTM-F2913-11 tests the whole shoe sole at the heel strike and toe off, two areas where slip is most likely to occur in normal walking (figure 1). The test method is based on years of human subject bio-mechanical studies creating a "Controlled Slide" where "Slip" is initiated and measured to dertermine if there is enough friction to allow the "Slip to Continue" or "Arrest it".

SLIP TEST CONDITION GRAPH ASTM F2913-11



*Test force for footwear evaluation that represents approx ½ body weight

Based on bio-mechanical studies by SATRA Technology Centre, Timberland recommends selecting a shoe based on the contaminant and floor surface you will encounter that achieves at least a 0.3 Dynamic CoF using a Whole Shoe Test Method.

Dynamic CoF values below 0.30 increase the risk of slip potential and may require additional safety measures to address non-footwear hazard factors.

No shoe is "slip proof". Footwear is one small part of any Slip Hazard Assessment Defense Program.

You should always consult with your Company Safety Manager to determine the most appropriate footwear for your work environment.

CSA WHOLE SHOE SLIP TEST METHOD Z195-09 EN/ISO 13287

To ensure we design and construct the best performing footwear for maximum performance on the job, for years Timberland PRO has used an international whole shoe slip test method to determine slip resistance. CSA has recently adopted EN/ISO 13287 to define coefficient of friction of footwear identified as "slip resistant".

Slip resistance testing is used to determine the "Coefficient of Friction" or CoF. CoF is the ratio of two forces acting at the interface of two contacting solid bodies. There are two types of CoF: Static Coefficient of Friction is related to the force to begin movement; while Dynamic (Kinetic) Coefficient of Friction measurement is obtained during movement between two contacting solid bodies.



CSA Z195-09 require testing of whole shoe sole at heel strike and in a flat position. The test method is based on years of human subject bio-mechanical studies creating a "Controlled Slide" where "Slip" is initiated and measured to determine if there is enough friction to allow the "Slip to Continue" or "Arrest it".

No shoe is "slip proof." Footwear is one small part of any Slip Hazard Assessment Defense Program. You should always consult with your Company Safety Manager to determine the most appropriate footwear for your work environment.

The following charts provide the slip scores for the outsole of the shoe.

ASCENDER



TEST REPORT: CHT0240911/11550
OUTSOLE: PRO415 **TEST LAB:** 12A10

AG BOSS (ROUND TOE)



TEST REPORT: CHT0226709/1429
OUTSOLE: PRO354 **TEST LAB:** 12A10

AG BOSS (SQUARE TOE)



TEST REPORT: CHT0226709/1429
OUTSOLE: PRO355 **TEST LAB:** 12A10

BARSTOW



TEST REPORT: CHT0212785
OUTSOLE: PRO-02 **TEST LAB:** 12A10

BOONDOCK



TEST REPORT: CHT0217665
OUTSOLE: PRO260 **TEST LAB:** 12A10

BOONDOCK (FIRE+ICE)



TEST REPORT: FWT0209034A/1244/Z
OUTSOLE: PRO309 **TEST LAB:** 0248

BRANSTON



TEST REPORT: CHT0217503R/1335
OUTSOLE: PRO326 **TEST LAB:** 12A10

CROSSCUT



TEST REPORT: CHT0230486
OUTSOLE: PRO388 **TEST LAB:** 12A10

DIRECT ATTACH



TEST REPORT: CHT0212748
OUTSOLE: UT125 **TEST LAB:** 12A10

ENDURANCE



TEST REPORT: CHT0212589/1310
OUTSOLE: PRO88 **TEST LAB:** 12A10

ENDURANCE PR (ASTM)



TEST REPORT: CHT0212352/1309
OUTSOLE: PRO107 **TEST LAB:** 12A10

ENDURANCE PR (CSA)

TEST REPORT: CHT0212352/1309
OUTSOLE: PRO107 **TEST LAB:** 12A10

EXCAVE



TEST REPORT: CHT0212588
OUTSOLE: PRO62M **TEST LAB:** 12A10

FLEXSHIELD



TEST REPORT: CHT0212784R/1311
OUTSOLE: 0.6-0.7SG **TEST LAB:** 12A10

GLADSTONE



TEST REPORT: CHT0212350
OUTSOLE: PRO232M **TEST LAB:** 12A10

GORGE



TEST REPORT: CHT0212586
OUTSOLE: MP019M **TEST LAB:** 12A10

GRIDWORKS



TEST REPORT: 28261
OUTSOLE: PRO345 **TEST LAB:** 12A10

HELIX



TEST REPORT: CHT0212348/1309
OUTSOLE: PRO215M **TEST LAB:** 12A10

LINDEN



TEST REPORT: CHT0232860
OUTSOLE: PRO375 **TEST LAB:** 12A10

MAGNUS



TEST REPORT: CHT0212788R3
OUTSOLE: PR051M **TEST LAB:** 12A10

MET GUARD



TEST REPORT: CHT0213762/1316
OUTSOLE: PRO41 **TEST LAB:** 12A10

MUDSILL



TEST REPORT: CHT0212351
OUTSOLE: OP27M **TEST LAB:** 12A10

NEWBURY

TEST REPORT: CHT0212347
OUTSOLE: PRO229 **TEST LAB:** 12A10

PIT BOSS



TEST REPORT: CHT0212495/R3/1310
OUTSOLE: 0424 **TEST LAB:** 12A10

POWERTRAIN (MEN'S)



TEST REPORT: CHT0221762/1405
OUTSOLE: PRO360 **TEST LAB:** 12A10

POWERTRAIN (WOMEN'S)

TEST REPORT: CHT0221762/1405
OUTSOLE: PRO362A **TEST LAB:** 12A10

PRO WEDGE

TEST REPORT: CHT0212785
OUTSOLE: PRO-02 **TEST LAB:** 12A10

RESISTOR



TEST REPORT: CHT0212749
OUTSOLE: PRO280M **TEST LAB:** 12A10

RIGMASTER

TEST REPORT: CHT0212499/1310
OUTSOLE: PRO166 **TEST LAB:** 12A10

RIGMASTER



TEST REPORT: CHT0213239/1314
OUTSOLE: PRO175 **TEST LAB:** 12A10

RIP SAW



TEST REPORT: CHT0212500
OUTSOLE: PRO314M **TEST LAB:** 12A10

STOCKDALE



TEST REPORT: FWT0227024/1431
OUTSOLE: PRO357 **TEST LAB:** 0248

TITAN® (90665)



TEST REPORT: CHT0212498
OUTSOLE: PRO277 **TEST LAB:** 12A10

TITAN® (85520)

TEST REPORT: CHT0212349/1309
OUTSOLE: PRO69 **TEST LAB:** 12A10

TITAN® (WOMEN'S)



TEST REPORT: CHT0212498/1310
OUTSOLE: PRO277 **TEST LAB:** 12A10

VALOR DUTY



TEST REPORT: CHT0228109/1437
OUTSOLE: PRO379 **TEST LAB:** 12A10

VALOR TACTICAL



TEST REPORT: CHT0212667/1311
OUTSOLE: OP107 **TEST LAB:** 12A10

VELOCITY



TEST REPORT: CHT0221763/1405
OUTSOLE: PRO360A **TEST LAB:** 12A10

WARRICK



TEST REPORT: CHT0212491
OUTSOLE: PRO71M **TEST LAB:** 12A10

JACKET
Split System Insulated Waterproof Jacket
(TB0A1298015)

PANTS
GridFlex™ Insulated Canvas Utility Pant
(TB0A1195015)

TECHNOLOGY KEY

POLYURETHANE OUTSOLE
Lightweight yet rugged. Provides exceptional cushioning along with slip, oil and abrasion resistance.

THERMOPLASTIC URETHANE OUTSOLE
Lighter weight and more abrasion resistant than polyurethane, it also provides exceptional cushioning and slip, oil and abrasion resistance.

TIMBERLAND PRO® RUBBER
Heat-resistant, durable, specially made rubber compound offers improved slip, abrasion and oil resistance, resulting in better traction on all surfaces.

HEAT-RESISTANT OUTSOLE
Solid Timberland PRO® rubber compound sole resists hot contact using EN ISO 20344:2004 8.7 at 572°F to 1000°F.

ALL-WEATHER THERMOPLASTIC URETHANE COLD FORMULA
Specially-formulated thermoplastic urethane compound maintains flexibility in variable weather conditions, provides enhanced traction on wet and frosted ice surfaces and offers slip, oil and abrasion resistance.

SAFEGRIP™ SOLE
Lightweight, superior slip resistance combined with shock absorbency.

SLIP-RESISTANT SOLE
Timberland PRO® slip-resistant soles combine superior slip-resistant design with specially formulated slip-resistant compounds.

GRIPMAX
Wiper-technology cleans a path enabling the primary lug to make contact with a less contaminated surface, resulting in superior slip resistance.

METALLIC PUNCTURE-RESISTANT OUTSOLE
Our puncture-resistant footwear meets PR puncture ASTM F2412-11 and ASTM F2413-11 safety standards and features a steel plate designed to minimize likelihood of puncture wounds caused by sharp objects that could penetrate the sole or soft toe ASTM F2892-11.

NON-METALLIC PUNCTURE-RESISTANT OUTSOLE
Flexible non-metallic plate minimizes the likelihood of puncture wounds. Meets PR puncture ASTM F2412-11, ASTM F2413-11 and ASTM F2892-11 safety standards.

INDEPENDENT SUSPENSION NETWORK™ TECHNOLOGY
Timberland's exclusive ISN™ system is a multi-density sole with comfort lugs that act independently of each other and adapt to varying worksite conditions, providing an additional layer of cushioning for all-day comfort and stability.

WATERPROOF MEMBRANE
Water-impermeable membrane keeps feet drier and delivers superior waterproof protection.

GUARANTEED WATERPROOF
Our premium waterproof leathers are seam-sealed to provide durable, long-lasting waterproof protection.

WATERPROOF LEATHER
Waterproof leather causes liquids to bead up and shed from the surface.

EVER-GUARD™ LEATHER
Specially treated leather provides outstanding abrasion resistance and enhances durability in rugged worksite conditions.

INSULATED
Lightweight, high-lofted, quick-drying, moisture-resistant insulation keeps feet warm in any weather. Available in 200g, 400g, 600g and 1000g variations.

STEEL SAFETY TOE
Meets ASTM F2412-11, F2413-11, I/75 and C/75 impact and compression safety standards. Engineered with a wide-flanged, tempered steel toe cap, providing protection for people in hazardous work environments.

COMPOSITE SAFETY TOE
Non-metallic, non-magnetic toe cap resists corrosion and meets ASTM F2412-11, F2413-11, I/75 and C/75 impact and compression safety standards.

COMPOSITE XL SAFETY TOE
Roomier, lightweight, non-metallic, asymmetrical-shaped toe cap. Meets ASTM F2412-11 and ASTM F2413-11 I/75 and C/75 impact compression safety standards.

TITAN® COMPOSITE SAFETY TOE
Our lightweight non-metallic TITAN® composite safety toe meets ASTM F2412-11, F2413-11, I/75, C/75 impact and compression standards.

ALLOY SAFETY TOE
Lightweight safety toe meets I/75, C/75 impact and compression and ASTM F2412-11 and ASTM F2413-11 safety standards.

ALLOY XL SAFETY TOE
Roomier, lightweight, asymmetrical-shaped toe cap. Meets ASTM F2412-11 and ASTM F2413-11 I/75 and C/75 impact and compression safety standards.

TITAN® SAFETY TOE
Meets I/75, C/75 impact and compression and ASTM F2412-11 and ASTM F2413-11 safety standards and features a roomier protective toe box for a more comfortable fit.

TITAN® XL SAFETY TOE
Provides more room for toes to spread out, bend and flex. Its asymmetrical shape improves airflow and allows for natural forefoot movement. It meets I/75, C/75 impact and compression and ASTM F2412-11 and ASTM F2413-11 safety standards.

ANTIMICROBIAL ODOR CONTROL
Treatment to prevent and control odors.

ANTI-FATIGUE TECHNOLOGY MET GUARD
Internal/external contoured met guards feature Anti-Fatigue Technology for enhanced protection and comfort. Meets ASTM F2412-11 and ASTM F2413-11 Class Mt75 metatarsal impact-resistance safety standards.

OPEN CELL MET GUARD
Internal/external contoured met guards feature open-cell breathable PU foam for comfort. Meets ASTM F2412-11 and ASTM F2413-11 Class Mt75 metatarsal impact-resistance safety standards.

ELECTRICAL HAZARD
Provides secondary underfoot protection against live electrical circuits, electrically energized conductors, parts or apparatus. Meets ASTM F2412-11, ASTM F2413-11 and ASTM F2892-11 standards.

ELECTRO STATIC-DISSIPATIVE
Protects against hazards related to excessively low footwear resistance. Meets SD static-dissipative ASTM F2412-11, ASTM F2413-11 and ASTM F2892-11 safety standards.

BARNYARD RESISTANT
Waterproof leather that helps protect from caustic barnyard elements, such as manure, urine, blood, oils and acids that are found within agricultural and livestock environments.

TECHNOLOGY KEY

WOMEN'S FIT
Made specifically to fit women's feet comfortably.

PROTECTIVE THREAD INCLUDES DUPONT™ KEVLAR® ARAMID FIBER
Safety footwear made with sewing thread that delivers the power of performance by helping maintain stitched seam integrity for workers exposed to a variety of cut, abrasion and high heat hazards.

LEATHER WELT
Genuine leather welt for a heat-resistant, durable mechanical bond.

POLISHABLE
Surface can be polished and easily wiped clean for a professional look.

METAL-FREE UPPER
Nylon, plastic or hidden eyelets reduce the chances of marking or scratching objects around you.

BLOOD-BORNE PATHOGEN
Breathable membrane helps protect from diseases caused by blood-borne pathogens. Meets ASTM F1671-13 safety standard.

RUBBER VAMP
Heat-resistant, abrasion-resistant molded rubber vamp for superior durability.

MUTILATION FREE UPPER
Nylon, plastic or hidden eyelets reduce the chances of marking or scratching objects around you.

TECHNOLOGY KEY INDUSTRY PARTNERS

GOODYEAR® RUBBER OUTSOLE
High-traction solid rubber soles offer excellent slip and oil resistance and durability. Using proven technology, they deliver confident performance in a variety of work conditions.

VIBRAM®
Soles specifically built to withstand the harshest working conditions and environments.

VIBRAM® FIRE & ICE
Vibram® Fire&ICE™ compound maintains it's flexibility in freezing temperatures

CANADIAN SAFETY ASSOCIATION
Meets CAN/CSA-Z195-02 safety standards to provide protection from open circuits and has a puncture-resistant plate.

CSA OMEGA RECTANGLE
Meets CSA standards for resistance to electric shock in the sole.

CSA BLUE PATCH/SD+
Meets CSA standards for Grade 1. When tested in accordance with ASTM F2412, each specimen shall fall within a range of 10^6 Ohms to 3.5×10^7 Ohms.

TIMBERLAND PRO® RAPTEK
Raptek's non-solvent microfiber upper—with excellent wicking and fast drying properties—keeps feet comfortable and dry in wet conditions. Raptek has superior feel and improved cracking compared to natural leather.

FOOTWEAR SALES TERRITORIES FALL 2017

KEY	TERRITORY	ACCOUNT EXECUTIVE	ADDRESS	PHONE	FAX
1	WA, OR, AK	Kyler Sonnentag	Portland, OR	(603) 856-6246	(734) 527-6185
2	HI	John Akana	Honolulu, HI	(808) 620-3553	
3	CA, NV, OR	Matt Paglia	Fair Oaks, CA	(603) 275-6823	(916) 961-5173
4	CA, NV	Ken Newville	Ventura, CA	(603) 401-9250	(805) 644-0906
5	ID, WY, MT	Cam Browne	Billings, MT	(603) 777-7677	
6	AZ, CO, UT, NM	Adam Brauer	Phoenix, AZ	(603) 828-3669	(480) 773-1853
7	TX, OK	Leslie Woods	Oklahoma City, OK	(580) 307-5759	(310) 496-1412
8	NE, KS, IA	Mike Langfeldt	Crete, NE	(603) 770-9504	(402) 403-5313
9	WI, MN, ND, SD	Mike Kissling	Stoughton, WI	(603) 395-7291	
10	MI, OH	Gary McClure	Andover, OH	(603) 686-1001	(866) 849-7855
11	IN, IL, OH	Ralph Stacy	Zionsville, IN	(603) 205-3963	(317) 663-1190
12	AR, MO	Matthew Mikel	Springfield, MO	(603) 866-6931	(417) 823-3739
13	TX, LA, MS	Chris Bush	Conroe, TX	(603) 686-3801	(832) 442-5918
14	AL, GA, MS	Michael Jones	Athens, GA	(865) 309-9512	
15	KY, TN	Curt Bragg	Hendersonville, TN	(603) 401-5530	(615) 824-0898
16	FL, Caribbean, Bermuda	Mark Mobley	Wellington, FL	(603) 686-9802	(561) 828-8127
17	NC, SC	Brian Jessen	Mount Holly, NC	(603) 498-3843	(704) 812-8850
18	VA	Patrick Donegan	Annapolis, MD	(603) 866-2148	(410) 268-0841
19	MD, DE, NJ, PA	Jim Howe	Millsboro, DE	(603) 770-8590	(800) 886-7038
20	NY, PA, WV	Steve Mock	Cranberry Township, PA	(603) 275-6801	(412) 927-2678
21	CT, RI, PA, NJ, NY	Dave Martin	Middletown, RI	(401) 841-5004	(401) 841-0571
22	MA	Mike Rafuse	Norton, MA	(603) 395-6242	
23	ME, NH, VT, NY	Hugh Gallagher	Barrington, NH	(603) 892-6792	(603) 590-8934

CUSTOMER SERVICE

Toll-Free Telephone: (855) 253-3261 **Toll-Free Fax:** (855) 218-9585

P.O. Box 1817, N850 County Hwy, Appleton, WI 54914

WORKWEAR SALES TERRITORIES FALL 2017

KEY	TERRITORY	ACCOUNT EXECUTIVE	ADDRESS	EMAIL	PHONE	FAX
1	AK, AZ, CA, CO, ID, MT, NM, NV, OR, UT, WA, WY	Pat Allen	Denver, CO	pat_allen@vfc.com	(702) 822-9922	
2	AL, AR, IA, IL, IN, KS, LA, MN, MO, MS, ND, NE, OK, SD, TX, WI	Rich Bulkley	Overland Park, KS	rich_bulkley@vfc.com	(603) 395-1310	
3	CT, DE, FL, GA, KY, MA, MD, ME, MI, NC, NH, NJ, NY, OH, PA, RI, SC, TN, VA, VT, WV	Jim Farrow	Amherst, NH	jim_farrow@vfc.com	(603) 400-2930	(603) 554-1179
4	Bermuda, Caribbean	Mark Mobley	Wellington, FL	mark_mobley@vfc.com	(603) 686-9802	(561) 828-8127
5	Hawaii	John Akana	Honolulu, HI	john.akana@revolusun.com	(808) 620-3553	

PAGE INDEX BY SKU NUMBER

TB01111A001 Powertrain Alloy Safety Toe ESD 18
TB01112A210 Boondock 8" Composite Safety Toe Waterproof 61
TB01113A210 Boondock 8" Soft Toe Waterproof 61
TB01114A214 Rip Saw 9" Soft Toe Waterproof Insulated Logger 75
TB0115BA214 Linden 6" Alloy Safety Toe 55
TB01152A214 Caprock Alloy Safety Toe 73
TB01158A214 Boondock 8" Composite Safety Toe Waterproof Insulated 61
TB01159A214 Boondock 8" Soft Toe Waterproof Insulated 61
TB01161A001 Timberland PRO® Valor™ Duty 6" Composite Safety Toe Waterproof Side-Zip 85
TB01162A001 Timberland PRO® Valor Duty 6" Soft Toe Side-Zip 85
TB01163A001 Timberland PRO® Valor™ Duty 6" Soft Toe Waterproof Side-Zip 85
TB01164A001 Timberland PRO® Valor™ Duty 6" Soft Toe Waterproof 85
TB01165A001 Timberland PRO® Valor™ 8" Duty Composite Safety Toe Waterproof Side-Zip 85
TB01166A001 Timberland PRO® Valor™ 8" Duty Composite Soft Toe Side-Zip 85
TB01167A001 Timberland PRO® Valor™ 8" Duty Soft Toe Waterproof Side-Zip 85
TB01168A001 Timberland PRO® Valor™ 8" Duty 8" Soft Toe Waterproof 85
TB0249D7214 TITAN® 6" Soft Toe 53
TB026D92713 Direct Attach 8" Steel Safety Toe Waterproof Insulated 62
TB026D11713 Direct Attach 8" Soft Toe Waterproof Insulated 62
TB026036001 Direct Attach 6" Soft Toe Waterproof Insulated 54
TB026038001 Direct Attach 6" Steel Safety Toe Waterproof Insulated 54
TB026063214 TITAN® 6" TITAN® Safety Toe 53
TB026064001 TITAN® 6" TITAN® Safety Toe 53
TB026D78242 TITAN® 6" TITAN® Safety Toe Waterproof 53
TB0263882I0 TITAN® 6" TiTAN® Safety Toe 53
TB033D3D231 Pit Boss 6" Soft Toe 21
TB033D31231 Pit Boss 6" Steel Safety Toe 55
TB033D32001 Pit Boss 6" Steel Safety Toe 55
TB033D34214 Pit Boss 6" Steel Safety Toe 55
TB033046214 Pit Boss 6" Soft Toe 55
TB038D2D242 Direct Attach 6" Soft Toe Waterproof Insulated 54
TB038021242 Direct Attach 6" Steel Safety Toe Waterproof Insulated 54
TB038022242 Direct Attach 8" Soft Toe Waterproof Insulated 62
TB04000001 External Met Guard 6" Steel Safety Toe 23, 80
TB040008001 Mudsill Steel Safety Toe 67
TB040044001 TITAN® Oxford TITAN® Safety Toe 41
TB047001242 PowerWelt 6" Steel Safety Toe Waterproof 56
TB047015242 TITAN® Oxford TITAN® Soft Toe 41
TB047019210 TITAN® 8" TiTAN® Safety Toe Waterproof 62
TB047028210 TITAN® Oxford TITAN® Safety Toe 41
TB047591214 Timberland PRO® Endurance PR 6" Steel Safety Toe Waterproof 52
TB047592001 Timberland PRO® Endurance PR 6" Steel Safety Toe Waterproof 52
TB05054214 Flexshield 6" Steel Safety Toe Internal Met Guard 79
TB05056242 TiTAN® 6" Lace-To-Toe TiTAN® Safety Toe 53
TB05057001 TITAN® 6" TiTAN® Composite Safety Toe 53
TB05058210 TITAN® 6" TITAN® Composite Safety Toe 53
TB052561214 Timberland PRO® Endurance PR 8" Steel Safety Toe 60
TB052562214 Timberland PRO® Endurance PR 6" Steel Safety Toe 52
TB053D09214 Timberland PRO® Wedge Boot 6" Soft Toe 57
TB053359242 TiTAN® 6" TiTAN® Safety Toe Waterproof 21
TB053522210 PowerWelt Wellington Steel Safety Toe 72
TB05353D001 External Met Guard 8" Steel Safety Toe Waterproof 80
TB053531001 Gravel Pit 10" Mining Boot Steel Safety Toe Waterproof Insulated 81
TB053534230 TITAN® Oxford TITAN® Safety Toe 41
TB053536210 TITAN® 6" Soft Toe Waterproof 53
TB054567214 Timberland PRO® Endurance 6" TITAN® XL Alloy Toe 52
TB055398210 TITAN® 6" TITAN® Soft Toe 21
TB061D09484 Mudsill Steel Safety Toe 67
TB063189214 TiTAN® Oxford TiTAN® Safety Toe 21
TB065016713 Direct Attach 6" Steel Safety Toe Waterproof Insulated 54
TB065D3D713 Direct Attach 6" Soft Toe Waterproof Insulated 54
TB072399001 TITAN® 6" TITAN® Safety Toe 21
TB081016214 Gorge Steel Safety Toe ESD 67
TB085516214 Internal Met Guard 6" Steel Safety Toe 80
TB08552D214 TiTAN® Trekker TiTAN® Safety Toe Waterproof 67
TB08559D214 Gladstone Steel Safety Toe ESD 41
TB085591214 Magnus 6" Steel Safety Toe 57
TB085594214 Timberland PRO® Helix 6" Alloy Safety Toe Waterproof ..22, 51
TB085599214 Newbury Slip-On Alloy Safety Toe ESD 22
TB0865D9214 Gladstone Steel Safety Toe ESD 41
TB086515214 Mudslinger Steel Safety Toe Waterproof 67
TB086518214 Timberland PRO® Helix 6" Alloy Safety Toe 22, 51
TB087517001 Timberland PRO® Helix 6" Composite Safety Toe Waterproof 51
TB087520001 Newbury Slip-On Alloy Safety Toe ESD 22
TB087529214 Timberland PRO® Helix 6" Soft Toe Waterproof 51
TB087559214 PowerWelt Steel Safety Toe 73
TB08756D214 PowerWelt Soft Toe Waterporoof 73
TB087566214 Timberland PRO® Helix 8" Composite Safety Toe Waterproof 60
TB088116214 Rigmaster 8" Alloy Safety Toe Waterproof Insulated 23
TB088117214 Rigmaster 6" Alloy Safety Toe Waterproof 23
TB088537214 Timberland PRO® Helix Composite Safety Toe Waterproof ..73
TB088559214 Barstow Wedge Boot 6" Moc Alloy Safety Toe 57
TB0896D427D Rigmaster Wellington 9" Steel Safety Toe Waterproof 72
TB089628214 Boondock 8" Composite Safety Toe Waterproof Insulated... 61
TB089631214 Timberland PRO® Endurance PR 6" Soft Toe 52
TB089635214 Boondock 8" Soft Toe Waterproof Insulated 61
TB089647214 Barstow Wedge Boot 6" Moc Soft Toe 57
TB089649214 Rigmaster 8" Alloy Safety Toe Internal Met Guard Waterproof 79
TB089652214 Excave Wellington Steel Safety Toe Internal Met Guard Waterproof 80
TB089655214 Timberland PRO® Helix 6" Alloy Safety Toe Waterproof 51
TB089656214 Rip Saw 9" Composite Safety Toe Waterproof Insulated Logger 75
TB089697214 Timberland PRO® Helix 6" Composite Safety Toe Met Guard 22, 79
TB09D625357 Hyperion 6" XL Soft Toe Waterproof 66
TB09D646214 Hyperion 6" XL Alloy Safety Toe Waterproof 66
TB09D665214 TITAN® 6" Composite Safety Toe Waterproof 53
TB09D667001 Timberland PRO® Valor™ Tactical Oxford 86
TB09D67D001 TiTAN® Oxford TiTAN® Safety Toe 21
TB091607214 Timberland PRO® Helix 8" Composite Safety Toe Waterproof Insulated 60
TB091614001 Rip Saw 9" Composite Safety Toe Waterproof CSA Logger..75
TB091621827 Anti-Fatigue Technology Insole 88
TB091622484 High-Rebound Cushion Insole 88
TB091636214 Ag Boss Alloy Safety Square Toe Waterproof Pull-On 71
TB091641001 Rip Saw 9" Soft Toe Waterproof Logger 75
TB091677214 PowerWelt Steel Safety Toe Waterproof 73
TB091678001 Excave 6" Steel Safety Toe External Met Guard 80
TB091692214 Branston Oxford Alloy Safety Toe ESD 41
TB091693001 Branston Oxford Alloy Safety Toe ESD 41
TB091694214 Branston Alloy Safety Toe ESD 41
TB091696214 Hyperion 4" XL Alloy Safety Toe Waterproof 66
TB092615214 Boondock 6" Composite Safety Toe Waterproof 46
TB092633001 Timberland PRO® Valor™ 5" Tactical Soft Toe Waterproof 86

PAGE INDEX BY SKU NUMBER

TB**Ø92634ØØ1** Timberland PRO® Valor™ Tactical 5" Soft Toe 86
TB**Ø92635ØØ1** Timberland PRO® Valor™ 5" Soft Toe Tactical Waterproof Side-Zip 86
TB**Ø92636ØØ1** Timberland PRO® Valor™ 8" Tactical Soft Toe 86
TB**Ø92638ØØ1** Timberland PRO® Valor™ 8" Tactical Soft Toe Side-Zip 86
TB**Ø92639ØØ1** Timberland PRO® Valor™ 8" Tactical Soft Toe Waterproof Side-Zip 86
TB**Ø92641**214 Boondock 6" Composite Safety Toe Waterproof Insulated... 46
TB**Ø92644**214 Rip Saw 9" Soft Toe Waterproof Logger 75
TB**Ø92647ØØ1** Branston Alloy Safety Toe Moc Toe Slip-On ESD 41
TB**Ø92649ØØ1** Powertrain Alloy Safety Toe ESD 29
TB**Ø92654ØØ1** Powertrain Alloy Safety Toe ESD 29
TB**Ø92668ØØ1** Powertrain Alloy Safety Toe ESD 18
TB**Ø92669ØØ1** Powertrain Alloy Safety Toe ESD 18
TB**Ø92671**214 Boondock 8" Composite Safety Toe Waterproof 61
TB**Ø92673**214 Boondock 6" Soft Toe Waterproof 46
TB**Ø95553**214 Rigmaster 8" Steel Safety Toe Waterproof 62
TB**Ø95567ØØ1** Timberland PRO® Endurance PR 8" Steel Safety Toe Waterproof Insulated 60
TB**Ø99524**242 Warrick 10" Smelter Boot Alloy Safety Toe 23, 81
TB**Ø1ØØ1A**214 Ag Boss Alloy Safety Square Toe Waterproof Pull-On 71
TB**Ø1Ø26A**214 Rip Saw 9" Steel Safety Toe Waterproof Logger 75
TB**Ø1Ø53A**214 Ag Boss Alloy Safety Toe Waterproof Pull-On 71
TB**Ø1Ø59A**214 Mortar Composite Safety Toe Wellington 72
TB**Ø1Ø62AØØ1** Powertrain Alloy Safety Toe SD+ 29
TB**Ø1Ø64AØØ1** Stockdale 6" Alloy Safety Toe 48
TB**Ø1Ø67AØØ1** Timberland PRO® Endurance PR 6" Steel Safety Toe 52
TB**Ø11ØØAØØ1** Stockdale Alloy Safety Toe Oxford 40
TB**ØA11P6ØØ1** Rockscape Steel Safety Toe 21
TB**ØA11QFØØ1** Powertrain Alloy Safety Toe ESD 29
TB**ØA11RQ**214 Rigmaster 6" XT Steel Safety Toe Waterproof 56
TB**ØA11SB**214 Rigmaster 8" XT Steel Safety Toe Waterproof 62
TB**ØA11UIØØ1** Boondock 8" Composite Safety Toe Waterproof 61
TB**ØA1AX5ØØ1** Stockdale Alloy Safety Toe Waterproof 21, 40
TB**ØA1AXGØØ1** Stockdale 8" Alloy Safety Toe Waterproof 70
TB**ØA1B3P**214 Linden 6" Alloy Safety Toe 70
TB**ØA1B4KØØ1** Gridworks 6" Alloy Safety Toe 47
TB**ØA1B4L**214 Gridworks 6" Soft Toe 47
TB**ØA1B6SØØ1** Powertrain Sport Alloy Safety Toe 28
TB**ØA1B6UØØ1** Powertrain Sport Alloy Safety Toe SD+ 28, 76
TB**ØA1B7FØØ1** Powertrain Sport Alloy Safety Toe SD+ 18
TB**ØA1B7Q**214 Stockdale Alloy Safety Toe Waterproof 40
TB**ØA1BAB**214 Disruptor Alloy Safety Toe EH 34
TB**ØA1BAK**231 Disruptor Alloy Safety Toe EH 34
TB**ØA1FUOØØ1** Powertrain Sport Slip-On Alloy Soft Toe SD+ 17
TB**ØA1FY5ØØ1** Valor Duty Oxford 84
TB**ØA1FZPØØ1** Boondock 6" Composite Safety Toe Waterproof 46
TB**ØA1GF6Ø65** Disruptor Alloy Safety Toe SD+ 22, 67
TB**ØA1GHMØØ1** Powertrain Sport Alloy Safety Toe Met Guard 18, 78
TB**ØA1GM1**214 Timberland PRO® Ascender 6" Alloy Safety Toe Met Guard 49, 78
TB**ØA1GNL**214 Gridworks 6" Alloy Safety Toe 47
TB**ØA1GR2ØØ1** Disruptor Alloy Safety Toe EH 37
TB**ØA1GSXØØ1** Disruptor Alloy Toe SD+ 20, 35
TB**ØA1GT8**214 Disruptor Alloy Safety Toe SD+ 37
TB**ØA1GT9Ø65** Powertrain Sport Alloy Safety Toe SD+ 26
TB**ØA1GTKØØ1** Powertrain Sport Alloy Safety Toe SD+ 26
TB**ØA1GUH**214 Disruptor Alloy Safety Toe SD+ 34
TB**ØA1GV4ØØ1** Disruptor Alloy Safety Toe EH 20, 35
TB**ØA1GVF**214 Disruptor Alloy Safety Toe EH 35
TB**ØA1GVGØØ1** Powertrain Sport Soft Toe SD+ 26
TB**ØA1GVR**Ø65 Powertrain Sport Alloy Safety Toe SD+ 18
TB**ØA1GW3ØØ1** Powertrain Sport Soft Toe SD+ 18
TB**ØA1GYL**214 Stockdale 6" Alloy Safety Toe Waterproof 48
TB**ØA1GZUØØ1** Disruptor Alloy Safety Toe EH 20, 37
TB**ØA1H16ØØ1** Disruptor Alloy Safety Toe EH 20, 37
TB**ØA1HBTØØ1** Euro Hiker 6" Alloy Safety Toe Waterproof 66
TB**ØA1HC5**214 Euro Hiker 6" Alloy Safety Toe Waterproof 66
TB**ØA1HISØØ1** Powertrain Sport Alloy Soft Toe SD+ 65
TB**ØA1HOEØØ1** Valor 8" Duty Soft Toe 84
TB**ØA1HPY**214 Timberland PRO® Helix 6" HD Composite Safety Toe Waterproof 44
TB**ØA1HR8ØØ1** Powertrain Sport Slip-On Alloy Soft Toe SD+ 26
TB**ØA1HRJØØ1** Powertrain Sport Slip-On Alloy Soft Toe SD+ 26
TB**ØA1HQL**214 Timberland PRO® Helix 6" HD Composite Safety Toe Waterproof 44
TB**ØA1HSSØØ1** Powertrain Sport Alloy Safety Toe SD+ 26
TB**ØA1I3UØ**Ø1 Powertrain Sport Alloy Safety Toe EH 28
TB**ØA1I4SØØ1** Powertrain Sport Alloy Safety Toe EH 28
TB**ØA1I4H**214 Timberland PRO® Helix 6" HD Composite Safety Toe Waterproof 44
TB**ØA1I54**484 Powertrain Sport Slip-On Alloy Soft Toe SD+ 17
TB**ØA1I5QØØ1** Powertrain Sport Alloy Safety Toe EH 17
TB**ØA1JYQØØ1** Powertrain Sport Alloy Safety Toe EH 28
TB**ØA1JY4ØØ1** Powertrain Sport Alloy Safety Toe EH 17
TB**ØA1KJGØØ1** Riveter Alloy Safety Toe SD+ 15
TB**ØA1KJJ**214 Riveter Alloy Safety Toe SD+ 15
TB**ØA1KJR**214 Hightower 6" Alloy Safety Toe 14
TB**ØA1KIT**214 Hightower 6" Alloy Safety Toe Waterproof 14
TB**ØA1KJ8**231 Direct Attach 6" Steel Safety Toe Waterproof Insulated 16
TB**ØA1KKS**214 Hightower 6" Alloy Safety Toe Waterproof 14
TB**ØA1KL1ØØ1** Hightower 6" Alloy Safety Toe Waterproof 14
TB**ØA1KJ5**214 Hightower 8" Alloy Safety Toe Waterproof 14
TB**ØA1216**214 Stockdale 6" Alloy Safety Toe 48
TB**ØA121H**231 Resistor 6" Composite Safety Toe Waterproof Insulated 50
TB**ØA121S**214 Resistor 6" Composite Safety Toe Waterproof 50
TB**ØA1224**214 Resistor 6" Composite Safety Toe Waterproof 50
TB**ØA122QØØ1** Resistor 6" Composite Safety Toe Waterproof 50
TB**ØA127G**214 Boondock 6" Composite Safety Toe Waterproof 46
TB**ØA127RØØ1** Boondock 6" Composite Safety Toe Waterproof 46
TB**ØA128P**214 Boondock 8" Composite Safety Toe Waterproof Insulated 61
TB**ØA12N6ØØ1** Crosscut 8" Steel Safety Toe Waterproof 75
TB**ØA12CS**214 Ag Boss Alloy Safety Toe Waterproof Unlined Pull-On 71
TB**ØA12DFØØ1** Crosscut 8" Soft Toe Waterproof Logger 75
TB**ØA12KN**214 Crosscut 8" Steel Safety Toe Waterproof Logger 75
TB**ØA12MU**214 Crosscut 8" Soft Toe Waterproof Logger 75
TB**ØA13C2ØØ1** Velocity Alloy Safety Toe 31
TB**ØA16M3**214 Ag Boss 6" Alloy Safety Toe Unlined 50
TB**ØA16JZØØ1** Velocity Alloy Safety Toe EH 31
TB**ØA16KBØØ1** Velocity Alloy Safety Toe 31
TB**ØA16NNØØ1** Powertrain Alloy Safety Toe SD+ 29
TB**ØA16OPØØ1** Timberland PRO® Ascender 6" Alloy Safety Toe Waterproof 49
TB**ØA16RFØØ1** Velocity Alloy Safety Toe 31
TB**ØA16SSØØ1** Gridworks 8" Alloy Safety Toe Waterproof 60
TB**ØA16T4**214 Gridworks 8" Alloy Safety Toe Waterproof 60
TB**ØA16XP**214 Timberland PRO® Ascender 6" Alloy Safety Toe Waterproof 49
TB**ØA1711**214 Timberland PRO® Ascender 6" Alloy Safety Toe Waterproof 49
TB**ØA1723**214 Ag Boss Soft Toe Waterproof Pull-On 71
TB**ØA172P**214 Ag Boss Square Soft Toe Pull-On 71
TB**ØA172T**214 Timberland PRO® Endurance 6" External Met Guard Steel Safety Toe 79
TB**ØA173N**214 Independence Square Soft Toe Unlined Pull-On 71
TB**ØA174E**231 Timberland PRO® Ascender 6" Alloy Safety Toe Waterproof 49
TB**ØA176AØØ1** Powertrain Sport Alloy Safety Toe 28
TB**ØA17HH**214 Hyperion 6" XL Alloy Safety Toe Waterproof 66
TB**ØA177Q**236 Timberland PRO® Valor™ 8" Tactical Soft Toe 86

JACKET
Work Sight High-Visibility Insulated Jacket
(TB0A1HMUI47)

PANTS
Work Sight High-Visibility Insulated Pant
(TB0A1HMUI47)

825

TIMBERLAND PRO
200 Domain Drive Stratham, NH 03885
TIMBERLANDPRO.COM
CUSTOMER SERVICE:
1-855-253-3261

Timberland, , Timberland PRO, the PRO logo, ISN, the ISN logo, Independent Suspension Network, PowerFit, Titan, 24/7 Comfort Suspension, PRO 24/7 Comfort Suspension, the PRO 24/7 Comfort Suspension logo, Valor, Cast-Bond, Ever-Guard, The Anti Fatigue Technology logo, Renova, Ladder Lock, SafeGrip, Smart Comfort, SmartWool, and the SmartWool logo are trademarks of TBL Licensing LLC or its affiliates. DuPont and Kevlar is a trademark of E.I. du Pont de Nemours and Company. Thermolite is a trademark of Invista North America S.A.R.L. Vibram, Fire&Ice, and the yellow octagonal label are trademarks of Vibram S.p.A. Swen-Flex is a trademark of Swenco Limited Company. Cambrelle is a trademark of Camtex Fabrics Limited. CoolMax is a trademark of Invista North America S.A.R.L. Goodyear (and Winged Foot design) is a trademark of The Goodyear Tire & Rubber Company used under license by Fitday Enterprise Ltd. Outlast and Adaptive Comfort are trademarks of Outlast Technologies, Inc. 3m, Scotchlite, and Scotchgard are trademarks of 3M. Maxum-Lite is a trademark of Meramec Group, Inc. Aspen Aerogels is a trademark of Aspen Aerogels, Inc. Elastollan is a trademark of BASF Polyurethanes GmbH. Gore-Tex is a trademark of W.L. Gore & Associates, Inc. Defender Repellent Systems is a trademark of Prime Leather Finishes Co. OrthoLite is a trademark of O2 Partners LLC. BASF is a trademark of BASF SE. Opti is a trademark of J&P Coats Limited. © 2016 TBL Licensing LLC. All rights reserved.